

360°

Schoeller Allibert Returnable Plastic Packaging Solutions

> Catalogue



Schoeller Allibert

Innovating your logistics for a better world

Since 1959
Innovative and
sustainable plastic
packaging solutions

For 55 years, since the first plastic bottle crate and fish boxes, Schoeller Allibert has been inventing designing and manufacturing sustainable and profitable packaging solutions for industries as diverse as Automotive, Agriculture, Retail, Food processing, Industrial manufacturing, Beverage, and Pooling.

Innovating in partnership with Industry leaders throughout Europe we developed future proof solutions that increase efficiency of inbound logistics, process, storage, intra logistics, order preparation and outbound logistics.

Standard or custom designed, our solutions keep our customers at the forefront of their business.



Schoeller Allibert


Innovating your logistics for a better world



Versions



A Solid base



B Solid base with drainage holes



C Ventilated base



D Solid walls



E Ventilated walls



F Ventilated sides + solid ends



G 2 open handholes




H 4 open handholes



I Reinforced ribbed base



J Reinforced smooth base




K Integrated label holder



L Solid drop door on 1 side



M Solid drop door on 1 end



N Solid sliding door on sides



O Ventilated door on sides



P Ventilated door on ends



Q 4 feet



R 6 feet



S 9 feet



T 2 skids



U 3 skids



V 6 skids



W Solid deck



X Ventilated deck



Y 4 castor wheels



Z 2 fixed and 2 castor wheels

Innovating your logistics for a better world

As a global market leader in the field of returnable plastic packaging solutions, Schoeller Allibert is committed to reducing our customers' logistics and packaging costs. By using our knowledge and innovative skills, we are dedicated to improving the supply chains of our clients.

Our returnable plastic packaging systems are designed to speed handling and distribution operations for a more efficient supply chain. At Schoeller Allibert, we believe in making a difference for you, your business and your personal environment. That's why we say we are 'Innovating your logistics for a better world'.

Our 360° approach




See our online brochure for more details
visit our website www.schoellerallibert.com

Table of contents

- 01. Table of contents
- 02. Introduction
- 04. Foldable Large Containers
- 09. Intermediate Bulk Containers
- 10. Rigid Pallets Containers
- 16. Plastic Pallets
- 24. Stack/Nest Containers
- 34. Folding Small Containers
- 36. Stackable Containers
- 41. Dollies
- 54. Beverage crates
- 55. Pails
- 56. Index by product code
- 58. Quality & Sustainability
- 60. Innovation
- 61. Instructions for use

57 years of innovative solutions



The 7 Markets we serve

Agriculture



From field to store, sustainable packaging for a demanding supply chain: our bulk boxes, crates, and IBC's are strong, long lasting and provide a rapid return on investment.

Automotive



From Galia and VDA crates to the Magnum Optimum® folding large container we offer the most efficient and cost effective logistics packaging solutions for the global automotive supply chain.

Retail



Our Retail RTP for food, non food and e retail channels performs numerous delivery cycles over many years and is fully recyclable. Nestable or foldable crates maximize savings and reduce carbon footprint.

Industrial manufacturing



We supply a wide range of standard and bespoke RTP products to meet the storage, handling and distribution packaging needs of all industrial manufacturing sectors.

Food & food processing



Food processing segments have very diverse packaging needs for each end use. Our products are designed for harsh environmental conditions and ensure long life span. Compatible with automated handling systems they enhance process and logistics efficiencies.

Beverage



Since 1960 We have been innovating in design and manufacturing of beverage packaging to ensure efficient logistics and to maximize your brand awareness. From IML to soft touch handles we make sure your brand stands out from the crowd.

Pooling



In Retail, Automotive or Food, pooling services are growing increasingly popular. Schoeller Allibert's pooling packaging solutions meet the ever changing needs of the modern logistical world!

The 10 Product Groups we offer

Foldable Large Containers - Page 4 to 8




Intermediate Bulk Containers - Page 9



Rigid Pallet Containers - Page 10 to 15




Plastic Pallets - Page 16 to 23



Stack/Nest Containers - Page 24 to 33



Folding Small Containers - Page 34 to 35



Stackable Containers - Page 36 to 53



Dollies - Page 41



Beverage - Page 54



Pails - Page 55





Magnum smooth walls 800 x 600



1. New standard of bulk logistics : 800 x 600 standard footprint and 760 mm high, it is ideal for mid size loads of food and non food products from manufacturing sites to retail stores.
2. Easy to handle: drop doors allow easy access to content during loading and unloading the FLC.
3. Saving time and labor: 4 way entry and compatible with most conveying systems, non sequential folding and easy to use locking devices make the Magnum quickly handled by one operator only.
4. Hygienic and easy to clean the FLC is well ventilated to preserve food product quality and freshness.
5. Optimized logistics: with only 292 mm folded height, columns of 8 FLCs fit in a standard truck, it reduces reverse logistics costs and fuel consumption.

→ More details see product **page 06**

Maxipac®



1. Versatile: Maxipac® shipper is a compact FLC ideal for storage, distribution and point of sale display.
2. Time and space saving: easy and quick to assemble and fold, Maxipac® has drop doors enabling access to content even when stacked for fast picking.
3. Reduced logistics costs: wheeled or pallet base to meet all logistics requirements. Maxipac® folds down to 320 mm to save valuable space on return transport and storage when empty.
4. Strong and tough: Both wheeled and pallet base versions can stack 2 high when carrying a unit load of 250 kg.
5. Easy maintenance and recycling: blow molded walls and injected base can be replaced easily extending Maxipac® lifespan. All parts are fully recyclable at the end of their working life.

→ More details see product **page 06**

Foldable Large Containers | Magnum

From lightweight to heavy duty, available in 3 standard footprints, our foldable large containers have been especially developed for long distances and a large number of return trips, maximizing cost saving and lowering carbon footprint.

Magnum Helium®



1. Lightweight: Magnum Helium® is designed for medium to low density products logistics. Unit load increases from 200 up to 300 kg depending on model.
2. Versatile: one Standard footprint 1200 x 800 in 4 heights from 750 to 1150 mm to adapt to many shipping volumes standard. Lightweight to optimize truck and sea containers payload.
3. Ideal for non-food retail supply chain: sports goods, textiles, garments, Magnum Helium® smooth inside surfaces protect content from damage on long distance shipping, the snap shut lid prevents pollution.
4. Easy order preparation and in store handling: large drop door on side, allows fast loading. Magnum Helium® also speeds shelf replenishment.

→ More details see product **page 07**

Magnum Optimum®



1. The strongest plastic FLC: unrivaled 750 kg unit load certified according to DIN EN 13626. 3200 kg stacking load, for a 4 on1 stacking when full, optimizing transport and storage.
2. The most efficient reverse logistics solution: with the lowest folded height, Magnum Optimum® stacks up to 8 in a standard truck and up to 10 high in a mega truck, offering a 30% space saving over all competing FLC.
3. Maximized internal volume: MO offers 10% more volume than most FLC's thanks to its welded double wall design.
4. Smooth and easy to clean: smooth surfaces allow easy cleaning and fast drying. Dust cover (optional) increase protection and prevents contamination.
5. Ergonomic and versatile: non sequential folding, and easy to use locking devices allow one operator only to erect and fold Magnum Optimum® saving on labor and handling time.

→ More details see product **page 08**

800 x 600 Maxipac® top benefits

- 1. Hygienic design – easy to clean
- 2. Lightweight ready to sale display
- 3. Strong: rated 2 x 250 kg dynamic loads
- 4. Versatile: available on pallet or wheeled base variants



800 x 600

	2640.610 - 212 L Ext. (mm) 800 x 600 x 680 Int. (mm) 740 x 540 x 530 Weight (Kg) 18.0 Folded height 373 Version B / D / L(2) / T
	2620.410 - 255 L Ext. (mm) 800 x 600 x 760 Int. (mm) 750 x 550 x 605 Weight (Kg) 17.0 Folded height 292 Version C / E / P / O / T
	2630.610 - 274 L Ext. (mm) 800 x 600 x 835 Int. (mm) 740 x 540 x 705 Weight (Kg) 22.1 Folded height 373 Version B / D / L(2) / T
	2630.633 - 282 L - Pally Magnum Ext. (mm) 800 x 600 x 920 Int. (mm) 740 x 540 x 705 Weight (Kg) 26.0 Folded height 470 Version B / D / L(2) / T / Z

	9507.092 - 357 L - Maxipac® Ext. (mm) 800 x 600 x 1000 Int. (mm) 756 x 556 x 843 Weight (Kg) 22.0 Folded height 333 Version B / E / O / P / T
	9142.092 - 357 L - Maxipac® Ext. (mm) 800 x 600 x 1080 Int. (mm) 756 x 556 x 843 Weight (Kg) 25.5 Folded height 420 Version B / E / O / P / Y
	2636.820 - Lid Ext. (mm) 809 x 609 x 91 Weight (Kg) 1.8 Version W
	2626.800 - Lid Ext. (mm) 815 x 615 x 57 Weight (Kg) 2.6 Version W

1200 x 800

	2560.400 - 463 L - Magnum Helium® Ext. (mm) 1200 x 800 x 750 Int. (mm) 1130 x 725 x 565 Weight (Kg) 26.0 Folded height 295 Version B / D / L / S
--	--

Lid included.

	2570.400 - 528 L - Magnum Helium® Ext. (mm) 1200 x 800 x 830 Int. (mm) 1130 x 725 x 645 Weight (Kg) 27.0 Folded height 295 Version B / D / L / S
--	--

Lid included.

Magnum Helium® top benefits

- 1. Lightweight 1200 x 800 FLC for medium or low density product distribution
- 2. 9 feet base for compatibility with all types of handling devices
- 3. Lid included for a safe logistics
- 4. Four heights to adapt to all large low density content
- 5. Wide drop door on side for easy loading /unloading by operators



1200 x 800

	9437.098 - 600 L Ext. (mm) 1200 x 800 x 910 Int. (mm) 1140 x 740 x 710 Weight (Kg) 28.0 Folded height 262 Version B / D / S
	9438.000 - 600 L Ext. (mm) 1200 x 800 x 930 Int. (mm) 1140 x 740 x 710 Weight (Kg) 34.5 Folded height 282 Version B / D / L / U
	2330.456 - 620 L Ext. (mm) 1200 x 800 x 950 Int. (mm) 1120 x 720 x 765 Weight (Kg) 57.0 Folded height 376 Version B / D / K / L / M / T

Lid included

Lid included

	2580.400 - 649 L - Magnum Helium® Ext. (mm) 1200 x 800 x 975 Int. (mm) 1130 x 725 x 792 Weight (Kg) 32.5 Folded height 396 Version B / D / L / S
	2590.400 - 792 L - Magnum Helium® Ext. (mm) 1200 x 800 x 1150 Int. (mm) 1130 x 725 x 967 Weight (Kg) 36.5 Folded height 396 Version B / D / L / S
	2336.820 - Lid for Magnum 2330.456 Ext. (mm) 1215 x 813 x 79 Weight (Kg) 6.6 Version W

Lid included

Lid included

1200 x 1000

	2329.630 - 600 L Ext. (mm) 1200 x 1000 x 795 Int. (mm) 1120 x 920 x 580 Weight (Kg) 53.7 Folded height 406 Version B / D / K / L(2) / T
	9894.099 - 984 L Ext. (mm) 1200 x 1000 x 1100 Int. (mm) 1150 x 945 x 905 Weight (Kg) 36.0 Folded height 262 Version B / D / L(2) / S

Lid included

	2319.451 - 1020 L Ext. (mm) 1200 x 1000 x 1200 Int. (mm) 1120 x 920 x 1015 Weight (Kg) 74.6 Folded height 406 Version B / D / K / M / L / T
	9347.000 - Lid Ext. (mm) 1220 x 1020 x 50 Weight (Kg) 5.2 Version W

Lid for 1200 x 1000 Magnum and Magnum Optimum®

1200 x 1000 Magnum Optimum® top benefits

- 1. Unrivalled performances: MO is certified for 750 kg unit load according to DIN EN 13626
- 2. Optimized savings on reverse logistics: best return ratio on the market
- 3. Larger internal dimensions and volume +10% thanks to double welded walls
- 4. Smooth, easy to clean and safe to handle design



1200 x 1000

Magnum Optimum®

	2540.652 - 605 L Ext. (mm) 1200 x 1000 x 750 Int. (mm) 1140 x 940 x 565 Weight (Kg) 42.0 Folded height 295 Version B / D / K / N / T
	2530.652 - 734 L Ext. (mm) 1200 x 1000 x 870 Int. (mm) 1140 x 940 x 685 Weight (Kg) 45.0 Folded height 295 Version B / D / K / N / T
	2549.461 - 847 L Ext. (mm) 1200 x 1000 x 975 Int. (mm) 1140 x 940 x 790 Weight (Kg) 51.0 Folded height 295 Version B / D / K / L / M / T
	2550.461 - 873 L Ext. (mm) 1200 x 1000 x 1000 Int. (mm) 1140 x 940 x 815 Weight (Kg) 52.0 Folded height 295 Version B / D / K / L / M / T

	2550.151 - 873 L Ext. (mm) 1200 x 1000 x 1000 Int. (mm) 1140 x 940 x 815 Weight (Kg) 52.0 Folded height 295 Version B / D / K / T
	2538.000 - Optiframe® (set of 2) Ext. (mm) 1200 x 1000 x 105 Weight (Kg) 2.5 Version D Packaging: 35 sets of optiframe on pallet 1200 x 1000.

	9975.09D - Dust cover Ext. (mm) 1190 x 977 x 40 Weight (Kg) 3.4 Version W
	9347.000 - Lid Ext. (mm) 1220 x 1020 x 50 Weight (Kg) 5.2 Version W Lid for 1200 x 1000 Magnum and Magnum Optimum®



Magnum Optimum® the best reusable FLC for industrial logistics

The new Magnum Optimum® is stronger, lighter, more hygienic and offers greater shipping volume.

1. Optimized storage, handling and distribution

Magnum Optimum offers outstanding mechanical performance. 750 kg unit load for standard models and up to 1 tonne for reinforced base versions. Stacking load 3200 kg or 4/1.

2. Hygiene and operator friendliness

Smooth internal and external walls surfaces avoid water retention and protect products and operators from damage or injury. Non sequential folding and smooth easy to use locking devices make Magnum Optimum efficient and easy to handle on the shop floor.

3. The most efficient reverse logistics solution

With the lowest folded height on the market, Magnum Optimum stacks 8 high when folded inside a standard truck offering a 30% space saving over any competing FLC.

4. Versatile modular system

Unique Optiframe spacer makes Magnum Optimum the most versatile and modular container. Increasing height from 750 up to more than 1200 mm, according to the type and volume of contents.

Intermediate Bulk Containers | OnFlow®

Combo Life® top benefits

- 1. NEW. Bisphenol A free material butterfly valve available with 250 and 1000 L liners. Latest EC and French food contact regulations.Reusable IBC with disposable liner and valve prevent contamination.
- 2. Maximized savings: 60% folding ratio allows 5 stacked columns of folded IBC per truck , drastically reducing reverse logistics costs.
- 3. Fast and easy handling: thanks to its design, Combo can be set up and handled by one operator only.
- 4. Tough and long lasting: the double wall structure enables up to 7500 kg stacking load or 4 on 1 piles minimizing storage space. Combo withstands road rails and sea freight with 1400 kg unit load.



Combo Life® BD

Combo CL 65

	4430.010 - 264 L Ext. (mm) 805 x 609 x 833 Int. (mm) 740 x 540 x 660 Weight (Kg) 20.0 Folded height 403 Stacked height 813 Folding ratio 48.00 % Version B / D / I / U
--	--

Combo 285

	4420.032 - 1060 L Ext. (mm) 1155 x 1155 x 1132 Int. (mm) 1065 x 1045 x 940 Weight (Kg) 88.5 Folded height 467 Stacked height 1115 Folding ratio 60.00 % Version B / D / I / L / V With bottom discharge.
--	---

	4420.052 - 1060 L Ext. (mm) 1155 x 1155 x 1132 Int. (mm) 1065 x 1045 x 940 Weight (Kg) 88.5 Folded height 467 Stacked height 1115 Folding ratio 60.00 % Version B / D / I / V With bottom discharge plug and tamper evident cap.
--	---

	4420.038 - 1060 L Ext. (mm) 1155 x 1155 x 1132 Int. (mm) 1065 x 1045 x 940 Weight (Kg) 88.5 Folded height 467 Stacked height 1115 Folding ratio 60.00 % Version B / D / I / L / U With bottom discharge.
--	---

	Lid included for all models.
--	------------------------------

Liners and accessories

Bisphenol A-free material valve available	Liner bags	Connectors	Filling bridge	Tamper evident seals	Tamper evident cap CL 285



AgriLog®



1. New AgriLog® range designed for fruit & vegetables supply chain from field to processing: shallow to protect fragile fruits and vegetable. Highly ventilated for airflow optimization for field to storage and to speed cooling process.
2. Suitable for water sorting lines thanks to specially designed holes on top of rim, pillars and feet/skids.
3. Maximum volume and load: 412 L usable volume at stacking with only 585 mm external height enables maximum cool chambers and truck payload.
4. Outstanding strength: 500 kg unit load and 4500 kg at stacking for less than 30 kg weight, AgriLog® Big box allows more fruit & vegetables in each box and optimize vehicle fill. Original pillar design and weight structure improve impact resistance for a harsh field environment use.

→ More details see product **page 12**

MaxiLog®



1. The new MaxiLog® big box range is hygienic and easy to clean: all surfaces, internal and external, are smooth, allowing fast unloading of frozen goods. Horizontal surfaces slanted to speed water drainage reducing the cleaning process.
2. Lightweight: only 36,6 kg for the solid 3 runners variant, MaxiLog® allows more products per refrigerated truck, optimizing vehicle fill. Transport cost and carbon footprint are reduced.
3. Strong: MaxiLog® is very strong thanks to optimized corners and pillars design: unit load is 450 kg and it can stack full 9 on 1 when full (4500 kg stacking load).
4. Customization and tracking: RFID ready for 100% reliable tracking, MaxiLog® also offers multiple recessed zones for permanent labels, pin dot areas for one way labels, and large printing & engraving inserts for brand awareness.

→ More details see product **page 14**

Rigid Pallet Containers | MaxiFlow®

Hygienic, strong and stable, our Bulk Boxes ranges offer a robust storage and shipping sustainable packaging system. Our Rigid Pallet Containers are ideal for heavy-duty distribution applications and are automation-friendly. They improve space efficiency and optimize truck load.

Standard Big Box



1. Versatile range for all industrial end uses: available in 2 standard footprints 800 x 1200 and 1000 x 1200, in solid or ventilated versions, with 2 or 3 skids or 4 feet, the Big box range adapts to all kinds of industries and is compatible with most RPCs on the market.
2. Tough and heavy duty: 500 kg unit load meets the needs of food and non food industries. We also offer a UN certified variant (on application) in both footprints. Stacking load is up to 4,5 tons for high stacking optimizing storage space.
3. Large volume and fast handling: our 1200 x 100 big box range offers a 670 L usable volume with compact external dimensions. Convex walls provide extra space inside. Available with a drop door it facilitates loading and picking operations along assembly lines.

→ More details see product **page 14**

Big Box Maximus®



1. The ideal BB for fruit & vegetables: fully ventilated for maximized air flow in cold chambers and ULO storage warehouses for long term storage of fruits such as apples. The four pockets in the base prevent fruits from rolling and damage during harvesting.
2. Maximized volume : thanks to its unique design with convex walls Maximus® offers 690L in a standard 1000 x 1200 x 780 mm external volume so that trucks and storage space are maximized: up to 15% more product in a given room.
3. Strong and safe: Maximus® 500kg unit load allows maximum vehicle fill. With its 4500 kg stacking load, Maximus® can be stacked in piles of 9 units to reduce space at storage.
4. Hygienic and easy to clean: rounded corners, maximum ventilation and compliance with HACCP, BRC, ISO22000 and PASS guideline for food safety.

→ More details see product **page 15**

AgriLog® top benefits

1. Ideal for fragile fruit and vegetable supply chain : optimum ventilation, smooth surfaces , rounded corners and base design protect produce.
2. Light and strong: with it's 500 kg unit load for a weight of only 30 kgs, AgriLog® increase payload in trucks and cool chambers. Making room for more fruit and less packaging.
3. Easy to clean: slanted horizontal surfaces speed water drainage and cleaning process.
4. Versatile: available in 4 feet, 2 skids or 3 skids versions AgriLog® is compatible with automated handling systems and water sorting lines.



1000 x 600



9530.000 - 260 L - Geobox®

Ext. (mm) 1000 x 600 x 662
Int. (mm) 929 x 544 x 519
Weight (Kg) 14.9
Stacked height 636
Version A / D / T



9530.001 - 260 L - Geobox®

Ext. (mm) 1000 x 600 x 662
Int. (mm) 929 x 544 x 519
Weight (Kg) 14.2
Stacked height 636
Version A / D / R



1200 x 800



4403.100 - 480 L

Ext. (mm) 1200 x 800 x 760
Int. (mm) 1110 x 710 x 610
Weight (Kg) 31.5
Stacked height 730
Version A / D / Q



4403.300 - 480 L

Ext. (mm) 1200 x 800 x 790
Int. (mm) 1110 x 710 x 610
Weight (Kg) 38.0
Stacked height 760
Version A / D / U



4403.150 - 480 L

Ext. (mm) 1200 x 800 x 760
Int. (mm) 1110 x 710 x 610
Weight (Kg) 31.5
Stacked height 730
Version A / D / L / Q



4403.105 - 480 L

Ext. (mm) 1200 x 800 x 915
Int. (mm) 1110 x 710 x 610
Weight (Kg) 44.0
Stacked height 730
Version A / D / Y



4409.820 - Lid

Ext. (mm) 1212 x 813 x 79
Weight (Kg) 6.6
Version W



1200 x 1000 - AgriLog®



4601.400 - 446 L - AgriLog®

Ext. (mm) 1200 x 1000 x 581
Int. (mm) 1120 x 920 x 420
Weight (Kg) 27.2
Stacked height 555
Version C / E / Q



Availability June 2016.



4601.450 - 446 L - AgriLog®

Ext. (mm) 1200 x 1000 x 581
Int. (mm) 1120 x 920 x 420
Weight (Kg) 28.0
Stacked height 555
Version C / E / Q



Availability June 2016.



4601.500 - 446 L - AgriLog®

Ext. (mm) 1200 x 1000 x 591
Int. (mm) 1120 x 920 x 420
Weight (Kg) 30.2
Stacked height 565
Version C / E / T



Availability June 2016.



4601.600 - 446 L - AgriLog®

Ext. (mm) 1200 x 1000 x 591
Int. (mm) 1120 x 920 x 420
Weight (Kg) 33.2
Stacked height 565
Version C / E / U



Availability June 2016.

Shallow Big Box top benefits

1. Curved inner shapes of the base and sidewalls improve the internal volume
2. Strong and hygienic skids
3. Smooth-walled container to ensure product protection
4. Label holder in option



1200 x 1000



1720.400 - 440 L

Ext. (mm) 1200 x 1000 x 585
Int. (mm) 1110 x 910 x 430
Weight (Kg) 30.0
Stacked height 555
Version C / E / Q



1720.500 - 440 L

Ext. (mm) 1200 x 1000 x 595
Int. (mm) 1110 x 910 x 430
Weight (Kg) 33.0
Stacked height 565
Version C / E / T



1720.600 - 440 L

Ext. (mm) 1200 x 1000 x 595
Int. (mm) 1110 x 910 x 430
Weight (Kg) 36.0
Stacked height 565
Version C / E / U



8819.004 - Lid for Geobox®

Ext. (mm) 1213 x 1013 x 50
Weight (Kg) 6.1
Version W



Ref. 9503.009 solid version.

9503.004 - 543 L - Geobox®

Ext. (mm) 1200 x 1000 x 750
Int. (mm) 1110 x 910 x 545
Weight (Kg) 32.0
Stacked height 725
Version C / E / R



Ref. 9503.002 ventilated version.

9503.006 - 543 L - Geobox®

Ext. (mm) 1200 x 1000 x 750
Int. (mm) 1110 x 910 x 545
Weight (Kg) 34.0
Stacked height 725
Version A / D / T



Ref. 9503.010 ventilated version.

9503.008 - 543 L - Geobox®

Ext. (mm) 1200 x 1000 x 750
Int. (mm) 1110 x 910 x 545
Weight (Kg) 36.8
Stacked height 725
Version A / D / U



8450.100 - 600 L

Ext. (mm) 1200 x 1000 x 760
Int. (mm) 1120 x 920 x 560
Weight (Kg) 40.3
Stacked height 730
Version A / D / R




8450.300 - 600 L

Ext. (mm) 1200 x 1000 x 760
Int. (mm) 1120 x 920 x 560
Weight (Kg) 44.7
Stacked height 730
Version A / D / U



MaxiLog® Big Box top benefits

- 1. Smooth and safe: MaxiLog® straight smooth walls and internal surfaces makes it ideal for food industry.
- 2. Hygienic and easy to clean: global design enhances water drainage, all horizontal surfaces are slanted, speed up washing process.
- 3. Lightweight and reliable: with only 36,8 kg for the solid 3 skids version the MaxiLog® allows more products in refrigerated trucks increasing payload.
- 4. Strong: withstanding 4500kg stacking load, MaxiLog® can stack up to 9 on 1 saving space in warehouses and in cool chambers.



1200 x 1000 - MaxiLog®

New

4429.100 - 610 L - MaxiLog®

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 760
1108 x 908 x 600
32.4
734
A / D / Q

New

4429.200 - 610 L - MaxiLog®

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 760
1108 x 908 x 600
34.5
734
A / D / T

New

4429.300 - 610 L - MaxiLog®

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 760
1108 x 908 x 600
36.8
734
A / D / U

New

4429.400 - 610 L - MaxiLog®

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 760
1108 x 908 x 600
30.9
734
C / E / Q

New

4429.500 - 610 L - MaxiLog®

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 760
1108 x 908 x 600
33.0
734
C / E / T

New

4429.600 - 610 L - MaxiLog®

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 760
1108 x 908 x 600
35.3
734
C / E / U

1200 x 1000

4401.100 - 620 L

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 760
1110 x 910 x 610
39.5
730
A / D / Q

Ref. 4401.300 3 skids version.

4401.150 - 620 L

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 760
1110 x 910 x 610
39.5
730
A / D / L / Q

4401.600 - 620 L

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 790
1110 x 910 x 610
45.5
760
C / E / U

Ref. 4401.400 4 feet version.

4410.820 - Lid

Ext. (mm)
Weight (Kg)
Version

1212 x 1012 x 79
7.6
W

1200 x 1000

1732.100 - 670 L

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 780
1110 x 910 x 620
35.1
750
A / D / Q

1732.200 - 670 L

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 790
1110 x 910 x 620
38.1
760
A / D / T

1732.300 - 670 L

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 790
1110 x 910 x 620
41.1
760
A / D / U

1732.400 - 670 L

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 780
1110 x 910 x 620
34.1
750
C / E / Q

1732.500 - 670 L

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 790
1110 x 910 x 620
37.1
760
C / E / T

1732.600 - 670 L

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 790
1110 x 910 x 620
39.6
760
C / E / U

2310.500 - 680 L - Maxagri®

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 780
1140 x 940 x 615
40.9
760
C / E / T

2302.400 - 690 L - Maximus®

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 780
1140 x 940 x 654
36.6
760
C / E / Q

2302.600 - 690 L - Maximus®

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1000 x 790
1140 x 940 x 654
43.5
760
C / E / U

Ref. 2302.500 2 skids version.

1200 x 1200

2312.500 - 790 L

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1200 x 790
1120 x 1120 x 612
47.0
790
C / E / T

2312.600 - 790 L

Ext. (mm)
Int. (mm)
Weight (Kg)
Stacked height
Version

1200 x 1200 x 790
1120 x 1120 x 612
48.1
790
C / E / U



Plastic Pallets | GreenFlow®

Schoeller Allibert offers a wide range of plastic pallets. Our pallets are available in 8 standard footprints and 5 different types to meet all logistics requirements: display, light, medium, heavy duty and clean room models. Durability, profitability, hygiene, safety are our pallets' main benefits.


Lightweight Pallets



1. Wide range: 6 footprints available to match industrial and logistics needs, for low and medium density loads.
2. Ideal for retail supply chain and export: strong, they can be used for loads up to 2500 kg static and 1000 kg dynamic. From manufacturing workshops to retail stores, they insure stability of load.
3. Suitable for export: plastic pallets do not need fumigation, they offer constant tare and cause no contamination when stored outside.
4. Reduced logistics costs: nestable models drastically reduce reverse logistics cost and storage space when empty. Models with skids offer increased rigidity and maximize unit load.
5. Recyclable: all models can be recycled at the end of their working life, reducing carbon footprint and avoiding packaging waste.

→ More details see product **page 18**

Medium Duty Pallets



1. Compatible with many automated process and logistics systems our medium duty range includes the Packpal® popular range, in 9 feet, 3 or 5 skids, solid or open deck for loads up to 1000 kg.
2. From 800 x 600 to 1200 x 1200 the range offers constant tare, nesting up to 62% to enhance logistics cost reduction and store loads of up to 700 kg on racks.
3. Both 800 x 1200 and 1000 x 1200 footprints, our pallets can be fitted with a pallet collar turning them into a strong folding large container ideal for retail delivery and display.
4. Customization and tracking: most models are RFID ready for efficient tracking, they also offer large inserts for either printing or engraving logos and brands to guarantee ownership and deter theft. Recessed zones for permanent bar code labels are available on most versions.

→ More details see product **page 19**


Heavy Duty Pallets



1. Designed for highly demanding handling industrial logistics, our range encompasses both cleanroom pallets and recycled non food models.
2. Maximum loads: on high bay racking our heavy duty pallets insure minimum deflection and are compatible with automated warehousing systems. They can carry loads of up to 1250 kg on racks and 5 tons static.
3. Food and clean room pallets: Maestro® range is fully smooth and the unique patented anti slip option ensure optimized gripping of all types of loads including plastic containers. Some models also offer reinforced deck and skids to maximize life span in harsh environments.
4. New H1 pallet: our new H1 pallet range fully compliant with Germany meat industry and retail norms and requirements. Strong, safe, food safety regulation compliant it's the perfect base of food industry logistics.

→ More details see product **page 20**

Special application Pallets



1. Because some industries need special footprints and features we developed specific pallets such as: the cheese pallets either 1200 x 800 5 skids Packpal® with special spacers and rims, or the 1050 x 801 highly perforated cheese pallet 100% smooth. They hold 2 piles of 750 x 500 cheese ripening crates. Those pallets flow seamlessly in cheese processing and ripening automated systems.
2. International beverage pallet: click on pallet, ideal for all beverage packaging transportation. It brings safety to long distance beverage industry shipping.
3. 1140 x 1140 mm: ideal for sea container optimized filling, our range either lightweight or heavy duty models meet the needs of long distance import and export industrial activities, from textile to automotive.

→ More details see product **page 23**

800 x 600 Universal Pallet top benefits

- 1. Spring loaded pop-ups allow secure stacking of a wide variety of loads.
- 2. Fully universal top deck
- 3. Ergonomic and easy to clean



600 x 400

800 x 600



Ref. 1850.007 regrind version.

1850.006 - Display Pallet
Ext. (mm) 600 x 400 x 140
Weight (Kg) 1.6
Nested height 44
Version Q / X



With safety rim.

6101.502 - Lightweight
Ext. (mm) 800 x 600 x 145
Weight (Kg) 3.7
Nested height 145
Version U / X



800 x 600



With pop ups.

9370.004 - Universal Pallet Medium Duty
Ext. (mm) 800 x 600 x 165
Weight (Kg) 7.0
Stacked height 165
Version U / W



With safety rim.

1882.001 - Heavy Duty
Ext. (mm) 800 x 600 x 160
Weight (Kg) 8.5
Stacked height 154
Version U / W



1200 x 800

Lightweight



5591.510 - Lightweight
Ext. (mm) 1200 x 800 x 130
Weight (Kg) 5.2
Nested height 45
Version S / X



1869.008 - Lightweight
Ext. (mm) 1200 x 800 x 155
Weight (Kg) 5.5
Nested height 45
Version S / X



With safety rim.

3303.001 - Lightweight
Ext. (mm) 1200 x 800 x 150
Weight (Kg) 8.2
Nested height 65
Version S / X



With safety rim.

1854.508 - Lightweight
Ext. (mm) 1200 x 800 x 155
Weight (Kg) 5.5
Nested height 45
Version S / X



Foldable Pallet Collar



9420.001
Ext. (mm) 1220 x 820 x 350
Int. (mm) 1160 x 760 x 300
Weight (Kg) 6.2
Version E



1200 x 800 Packpal® pallets top benefits

- 1. Wide range: Packpal® pallets are available in 2 footprints, ventilated or solid deck, with 9 feet, 3 or even 6 skids, and can be used in all industries and for many end uses.
- 2. Nestable for maximum space saving: 9 feet models ventilated and solid are 62% nesting when empty, reducing return cost and fuel consumption.
- 3. Medium density loads: from 650 kg to 1200 kg unit load according to versions, Packpal® pallet range meets the needs of most logistics application. 6 skids models are rackable with 700 kg load.



1200 x 800

Medium Duty



With safety rim.

2713.510 - Medium Duty
Ext. (mm) 1200 x 800 x 140
Weight (Kg) 8.7
Stacked height 140
Version S / X



With safety rim. / Ref. 7340.500 regrind material version.

7340.000 - Medium Duty
Ext. (mm) 1200 x 800 x 145
Weight (Kg) 11.0
Stacked height 139
Version U / X



With safety rim.

9380.004 - Medium Duty Packpal®
Ext. (mm) 1200 x 800 x 147
Weight (Kg) 7.5
Nested height 55
Version S / W




With safety rim. / Ref. 9380.002 regrind material version.

9380.001 - Medium Duty Packpal®
Ext. (mm) 1200 x 800 x 147
Weight (Kg) 6.2
Nested height 62
Version S / X



Pallet covers for 1200 x 800




Ref. 6015.833 with strap version.

6015.830 - Cover
Ext. (mm) 1205 x 808 x 94
Weight (Kg) 6.1
Version W




9366.00S - Lid with adjustable straps
Ext. (mm) 1220 x 813 x 53
Weight (Kg) 4.3
Version W



With safety rim.

9378.000 - Medium Duty Packpal®
Ext. (mm) 1200 x 800 x 172
Weight (Kg) 7.8
Stacked height 165
Version U / X



With safety rim.

9378.001 - Medium Duty Packpal®
Ext. (mm) 1200 x 800 x 172
Weight (Kg) 8.9
Stacked height 165
Version U / W



With safety rim.

9386.001 - Medium Duty Packpal®
Ext. (mm) 1200 x 800 x 172
Weight (Kg) 8.9
Stacked height 165
Version V / X



Spacers for 2 x 750 x 500 cheese crates.


9386.000 - Cheese Pallet
Ext. (mm) 1200 x 800 x 190
Weight (Kg) 9.3
Stacked height 190
Version V / X



Heavy Duty H1 Pallet top benefits





New Schoeller Allibert H1 pallet compliant with GS1 norm.

- 1. Hygienic: defined by meat and retail industry in Germany, the H1 Pallet design and performances are meeting the needs of all fresh products logistics.
- 2. Strong rackable and lightweight: with only 18 kg, H1 Pallet can support 1250 unit load and be racked with 1 ton.
- 3. Maximum safety at handling: ventilated to ensure maximum air flow and speed cooling, the H1 Pallet deck is equipped with spacers to separate E2 boxes or a flat deck. 7 mm rim spread around the sides and ends holds load together.



1200 x 800

Heavy Duty

 With safety rim.	7341.000 - Heavy Duty Ext. (mm) 1200 x 800 x 145 Weight (Kg) 17.2 Stacked height 139 Version U / X	
 With safety rim.	3301.002 - Heavy Duty Ext. (mm) 1200 x 800 x 157 Weight (Kg) 18.0 Stacked height 157 Version U / W	
 Anti slip model.	9375.000 - Heavy Duty Maestro® Ext. (mm) 1200 x 800 x 158 Weight (Kg) 25.0 Stacked height 158 Version U / W	
 With safety rim.	1872.002 - Heavy Duty Ext. (mm) 1200 x 800 x 160 Weight (Kg) 15.5 Stacked height 160 Version U / X	
 With safety rim.	1865.002 - Heavy Duty Ext. (mm) 1200 x 800 x 160 Weight (Kg) 15.5 Stacked height 153 Version U / X	
 With safety rim.	2715.516 - Heavy Duty Ext. (mm) 1200 x 800 x 165 Weight (Kg) 18.0 Stacked height 161 Version U / X	

 With safety rim.	2714.516 - Heavy Duty Ext. (mm) 1200 x 800 x 165 Weight (Kg) 18.5 Stacked height 161 Version U / W	
 With safety rim. / Ref. 9371.000 without rim version.	9372.000 - Heavy Duty Maestro® Ext. (mm) 1200 x 800 x 165 Weight (Kg) 19.0 Stacked height 158 Version U / W	
 With safety rim and centering blocks.	7842.001 - Heavy Duty H1 Pallet Ext. (mm) 1200 x 800 x 167 Weight (Kg) 18.0 Stacked height 160 Version U / X	
 With safety rim.	7842.002 - Heavy Duty H1 Pallet Ext. (mm) 1200 x 800 x 167 Weight (Kg) 18.0 Stacked height 160 Version U / X	
 With safety rim.	8550.200 - Heavy Duty Ext. (mm) 1200 x 800 x 191 Weight (Kg) 22.0 Stacked height 191 Version U / X	

1200 x 1000 Lightweight pallets top benefits

- 1. Low height to increase height of load piles
- 2. Lightweight reduces packaging and transport cost
- 3. Good nesting ratio to lower return costs
- 4. Rigid and strong thanks to optimized design




1200 x 1000

Lightweight

 With safety rim.	5592.500 - Lightweight Ext. (mm) 1200 x 1000 x 130 Weight (Kg) 6.4 Nested height 45 Version S / X	
 With safety rim.	1855.508 - Lightweight Ext. (mm) 1200 x 1000 x 155 Weight (Kg) 6.5 Nested height 45 Version S / X	
 With safety rim.	1846.552 - Lightweight Ext. (mm) 1200 x 1000 x 165 Weight (Kg) 8.5 Stacked height 160 Version U / X	

Medium Duty

 With safety rim.	9379.000 - Medium Duty Packpal® Ext. (mm) 1200 x 1000 x 147 Weight (Kg) 8.9 Nested height 55 Version S / W	
 With safety rim. / Ref. 9379.002 recycled version.	9379.001 - Medium Duty Packpal® Ext. (mm) 1200 x 1000 x 147 Weight (Kg) 7.0 Nested height 62 Version S / X	
 With safety rim.	1880.003 - Medium Duty Ext. (mm) 1200 x 1000 x 165 Weight (Kg) 16.0 Stacked height 165 Version V / X	
 With safety rim.	9497.001 - Medium Duty Packpal® Ext. (mm) 1200 x 1000 x 172 Weight (Kg) 10.3 Stacked height 165 Version U / W	
 With safety rim.	9497.000 - Medium Duty Packpal® Ext. (mm) 1200 x 1000 x 172 Weight (Kg) 9.3 Stacked height 165 Version U / X	
 With safety rim.	9387.000 - Medium Duty Packpal® Ext. (mm) 1200 x 1000 x 172 Weight (Kg) 11.9 Stacked height 165 Version V / X	

1200 x 1000 Maestro® pallets top benefits

- 1. Maestro® is ideal for cleanroom applications: smooth, easy to clean and with safety rim to hold load.
- 2. Heavy duty: Maestro® takes up to 2 tons dynamic load and 1,2 ton on rack
- 3. High chock and flex resistance allows long term racking storage
- 4. Unique patented non slip deck and runners variants available



1200 x 1000

Heavy Duty

9376.000 – Heavy Duty Maestro®

Ext. (mm)	1200 x 1000 x 158
Weight (Kg)	23.5
Stacked height	158
Version	U / W

1873.005 – Heavy Duty

Ext. (mm)	1200 x 1000 x 165
Weight (Kg)	21.0
Stacked height	160
Version	V / X

7342.002 – Heavy Duty

Ext. (mm)	1200 x 1000 x 160
Weight (Kg)	18.8
Stacked height	160
Version	U / X

9377.000 – Heavy Duty Maestro®

Ext. (mm)	1200 x 1000 x 165
Weight (Kg)	23.5
Stacked height	158
Version	U / W

Pallet covers for 1200 x 1000

9345.000 – Pallet cover for KLT crates

Ext. (mm)	1207 x 1000 x 67
Weight (Kg)	9.4
Version	W

6017.830 – Pallet cover

Ext. (mm)	1229 x 1030 x 84
Weight (Kg)	7.2
Version	W

9540.971 – Cover for Packpal®

Ext. (mm)	1210 x 1010 x 45
Weight (Kg)	6.2
Version	W


Foldable Pallet Collar

9728.001

Ext. (mm)	1220 x 1015 x 350
Int. (mm)	1160 x 955 x 300
Weight (Kg)	7.0
Version	E

Special pallets top benefits

- 1. 1140 x 1140 footprint enhances sea containers fill and lower sea freight cost
- 2. 1200 x 1200 footprint for big bag logistics
- 3. Cheese ripening pallets: designed to hold 2 piles of 750 x 500 cheese crates and compatible with automated handling systems



1050 x 801

9887.001 – Cheese pallet

Ext. (mm)	1050 x 801 x 164
Weight (Kg)	11.0
Stacked height	140
Version	V / X

With safety rim.

1140 x 1140

1853.508 – Lightweight

Ext. (mm)	1140 x 1140 x 150
Weight (Kg)	7.5
Nested height	65
Version	S / X

1842.552 – Lightweight

Ext. (mm)	1140 x 1140 x 165
Weight (Kg)	9.5
Stacked height	160
Version	U / X

7344.002 – Medium Duty

Ext. (mm)	1140 x 1140 x 156
Weight (Kg)	15.0
Stacked height	156
Version	U / X

7344.005 – Medium Duty

Ext. (mm)	1140 x 1140 x 156
Weight (Kg)	16.5
Stacked height	156
Version	V / X

1864.005 – Heavy Duty

Ext. (mm)	1140 x 1140 x 170
Weight (Kg)	24.5
Stacked height	163
Version	V / X

1200 x 1200

1856.508 – Lightweight

Ext. (mm)	1200 x 1200 x 155
Weight (Kg)	8.0
Nested height	63
Version	S / X

1867.005 – Heavy Duty

Ext. (mm)	1200 x 1200 x 170
Weight (Kg)	25.5
Stacked height	163
Version	V / X

1300 x 1100

1875.005 – Heavy Duty

Ext. (mm)	1300 x 1100 x 165
Weight (Kg)	23.5
Stacked height	165
Version	V / X

1868.005 – Heavy Duty

Ext. (mm)	1300 x 1100 x 165
Weight (Kg)	23.5
Stacked height	165
Version	V / X



Maxinest®



1. Award winning Maxinest® has been created to replace one way transport packaging for food and grocery retail.
2. It optimizes warehouse and vehicle fill, reduces transport cost and gas emission on return trips.
3. Flexible: Maxinest® is the only produce tray offering multi-height options enabling the same tray to be used for different applications.
4. Food safety: Maxinest® smooth design promotes hygiene and protect fragile products.
5. Automation: Maxinest® Plus range reinforced base allows it to work seamlessly on most automated handling systems.
5. Track and trace: RFID ready, Maxinest®, also offers large pimple pad areas, an integrated label holder on ends, and can be printed with logo owner's.

→ More details see product **page 27**

ALC Integra® and Kaiman®



1. Security for non food industry and retail: the Integra® and Kaiman® attached lid containers protect products from pollution and contamination. Tamper evident seals deter theft.
2. Strength and ergonomics: with a unit load up to 30 kg and stacking 5 on 1, they are versatile. Lids hang flat on sides and smooth surfaces are operator friendly.
3. Logistics RTP: saving up to 70% space when nested they reduce carbon footprint. Their integrated tamper proof label holder keeps your data safe. For more security they can be strapped.
4. Automation friendly: all our ALC's run fast and silent on automated handling equipment. RFID ready and with multiple identification options they can be printed with your name and Logo to promote brand awareness.

→ More details see product **page 28**

Stack/Nest Containers | EasyNest®

Stack/Nest containers securely stack when loaded and nest when empty to save valuable space on return transport. Ranges include award-winning Maxinest® produce trays, tamper-evident Integra® ALCs (Attached Lid Containers) and bicolour 180°'s for easy visual identification of stack/nest position.

180° Stack/Nest



1. Extensive range: 180°stack nest boxes ranges include 5 footprints compatible with Euro Pallets. Solid or ventilated, with closed or open handles they are ideal for multiple end uses. With 50% to 75% nesting ratio, they optimize reverse logistics costs.
2. Bicolor for fast and safe handling: our bicolor models enable both operators and automated equipment to detect stack or nest position, speed handling and avoid damage to contents.
3. Ergonomics: with their deep handles the Tellus crates offer good and comfortable grips. Our bicolor blast freezing HDPE models are ideal for the food industry process and logistics.
4. Automation: strong flat or reinforced bases are compatible with robotized handling systems. RFID and bar code zones make our 180°Stack Nest range fully trackable.

→ More details see product **page 31**

Folding Small Containers | MaxiFold®



1. Versatile range: for non food retail and automotive parts distribution, our Prelog CMB® and Prelog NG are perfect RTP solution offering up to an 80% folding ratio. For food retail, our ventilated Prelog and XLXS promote quality and freshness of produce from field to store.
2. Maximized saving: XLXS 28 mm incremental folded height provides unrivaled saving on return trips.
3. Safety and strength: the CMB® range with attached lid, available in 3 footprints, offers strong base allowing 20kg unit load for a 600 x 400 model for versatile end uses.
4. Identification: All our FSCs have integrated label holders for efficient tracking of box and content. Multiple pin dot areas and recessed zones for self adhesive labels, facilitate fleet and shipment management.

→ More details see product **page 35**

Maxinest® top benefits

- 1. Drop-in integrated label holder on end to identify content
- 2. Stippled surfaces on walls for easy removal of self adhesive labels
- 3. Dual Height models: 2 stacking positions to adapt internal volume to any type of goods
- 4. Maxinest Plus models: reinforced base fully compatible with high speed automated handling



Stack/Nest with Swings Bars

Maxinest® - 400 x 300

9960.001 - 7.7 L

Ext. (mm) 400 x 300 x 108
Int. (mm) 358 x 253 x 80
Weight (Kg) 0.70
Stacked height 96.5
Nesting ratio 58.00 %
Version C / E / I

9636.002 - 15 L

Ext. (mm) 400 x 300 x 180
Int. (mm) 364 x 264 x 143
Weight (Kg) 0.97
Stacked height 172
Nesting ratio 70.00 %
Version C / E

9633.002 - 10 L

Ext. (mm) 400 x 300 x 135
Int. (mm) 364 x 264 x 100
Weight (Kg) 0.82
Stacked height 127
Nesting ratio 60.00 %
Version C / E

9746.102 - 16.5 L

Ext. (mm) 400 x 300 x 193
Int. (mm) 362 x 258 x 165
Weight (Kg) 0.86
Stacked height 181
Nesting ratio 77.00 %
Version C / E / I

Maxinest® - 600 x 400

9635.002 - 16 L

Ext. (mm) 600 x 400 x 106
Int. (mm) 552 x 352 x 80
Weight (Kg) 1.22
Stacked height 93
Nesting ratio 62.00 %
Version C / E

9767.002 - 34.5 L

Ext. (mm) 600 x 400 x 194
Int. (mm) 547 x 349 x 167
Weight (Kg) 1.63
Stacked height 181.2
Nesting ratio 76.00 %
Version C / E / G / I

9962.002 - 16 L

Ext. (mm) 600 x 400 x 106
Int. (mm) 552 x 352 x 80
Weight (Kg) 1.06
Stacked height 93
Nesting ratio 62.00 %
Version C / E / I

9637.002 - 35 L

Ext. (mm) 600 x 400 x 199
Int. (mm) 549 x 350 x 172
Weight (Kg) 1.62
Stacked height 186
Nesting ratio 77.00 %
Version C / E / G

9170.002 - 28 L

Ext. (mm) 600 x 400 x 167
Int. (mm) 547 x 349 x 140
Weight (Kg) 1.47
Stacked height 155
Nesting ratio 76.00 %
Version C / E / G

Stack/Nest with Swings Bars

Maxinest® - 600 x 400

9637.007 - 35 L

Ext. (mm) 600 x 400 x 199
Int. (mm) 547 x 349 x 172
Weight (Kg) 1.76
Stacked height 186
Nesting ratio 77.00 %
Version A / D / G

9631.002 - 46 L

Ext. (mm) 600 x 400 x 267
Int. (mm) 548 x 348 x 240
Weight (Kg) 2.08
Stacked height 255
Nesting ratio 75.00 %
Version C / E / G

9632.002 - 44 L

Ext. (mm) 600 x 400 x 253
Int. (mm) 547 x 349 x 226
Weight (Kg) 2.01
Stacked height 241
Nesting ratio 75.00 %
Version C / E / G

9788.002 - 67 L

Ext. (mm) 600 x 400 x 360
Int. (mm) 548 x 348 x 328
Weight (Kg) 2.75
Stacked height 340
Nesting ratio 75.00 %
Version C / E / G / I

Euro 600 x 400

9471.005 - 44 L

Ext. (mm) 600 x 400 x 250
Int. (mm) 520 x 333 x 233
Weight (Kg) 2.5
Stacked height 241
Nesting ratio 74.00 %
Version A / D / G / J

9959.002 - 54 L

Ext. (mm) 600 x 400 x 303
Int. (mm) 539 x 342 x 279
Weight (Kg) 2.62
Stacked height 288
Nesting ratio 69.00 %
Version C / E / G / I / K

9967.007 - 54 L

Ext. (mm) 600 x 400 x 302
Int. (mm) 541 x 346 x 270
Weight (Kg) 2.35
Stacked height 285
Nesting ratio 66.00 %
Version A / D / G

9761.002 - 68 L

Ext. (mm) 600 x 400 x 368
Int. (mm) 532 x 339 x 338
Weight (Kg) 2.26
Stacked height 363
Nesting ratio 70.00 %
Version B / E / H

Non Euro Stack/Nest with Swings Bars

1834.100 - 45 L

Ext. (mm) 700 x 496 x 190
Int. (mm) 640 x 440 x 170
Weight (Kg) 2.35
Stacked height 180
Nesting ratio 76.00 %
Version C / E / H

9793.001 - 63 L

Ext. (mm) 772 x 627 x 176
Int. (mm) 716 x 586 x 149
Weight (Kg) 2.06
Stacked height 165
Nesting ratio 50.00 %
Version C / E / G

9994.002 - 65 L

Ext. (mm) 762 x 508 x 216
Int. (mm) 697 x 463 x 190
Weight (Kg) 1.9
Stacked height 209
Nesting ratio 50.00 %
Version C / E / H

9796.001 - 68 L

Ext. (mm) 788 x 617 x 190
Int. (mm) 723 x 569 x 165
Weight (Kg) 2.4
Stacked height 181
Nesting ratio 69.00 %
Version C / E / G

Integra® top benefits

- 1. Safe and secure transport thanks to security seals and lids allowing strapping
 - 2. Bumpers on ends to avoid piling up on conveyors
 - 3. Integrated label holder on end and stripped zones for self adhesive labels
 - 4. Nesting up to 70% for maximum space saving
- NB:Not compatible with Kaiman



Attached Lid Containers

Integra® - 400 x 300

	1325.850 - 21 L			1325.851 - 25 L	
	Ext. (mm)	400 x 300 x 250		Ext. (mm)	400 x 300 x 315
	Int. (mm)	352 x 258 x 238		Int. (mm)	352 x 258 x 288
	Weight (Kg)	1.6		Weight (Kg)	1.7
	Stacked height	253		Stacked height	303
	Nesting ratio	51.00 %		Nesting ratio	59.00 %
Version		A / D	Version		A / D

Integra® - 600 x 400

	1310.851 - 46 L			1329.850 - 64 L	
	Ext. (mm)	600 x 398 x 255		Ext. (mm)	600 x 396 x 365
	Int. (mm)	546 x 366 x 238		Int. (mm)	548 x 365 x 338
	Weight (Kg)	3.1		Weight (Kg)	3.65
	Stacked height	253		Stacked height	353
	Nesting ratio	51.00 %		Nesting ratio	65.00 %
Version		A / D	Version		A / D

Ref. 1329.854 recycled material version.

	1311.851 - 55 L			1330.850 - 72 L	
	Ext. (mm)	600 x 400 x 300		Ext. (mm)	602 x 397 x 416
	Int. (mm)	548 x 365 x 288		Int. (mm)	548 x 365 x 388
	Weight (Kg)	3.4		Weight (Kg)	3.81
	Stacked height	303		Stacked height	403
	Nesting ratio	59.00 %		Nesting ratio	70.00 %
Version		A / D	Version		A / D

Accessories for ALC

	1325.835				A193623000		
	Seal for Integra® classic.				Clear cover label holder for Integra® range.		
	2 seals per box. Supplied in bags of 100 units.				Supplied in bags of 1000 units.		

Non Euro ALC

	9106.029 - 80 L			9125.004 - 75 L	
	Ext. (mm)	710 x 460 x 368		Ext. (mm)	714 x 465 x 356
	Int. (mm)	597 x 374 x 330		Int. (mm)	598 x 375 x 307
	Weight (Kg)	4.3		Weight (Kg)	4.0
	Stacked height	342		Stacked height	331
	Nesting ratio	78.00 %		Nesting ratio	75.00 %
Version		B / D / K	Version		B / D / K

Ref. 9106.004 solid base version.

Kaiman® top benefits

- 1. Label holder and clear cover on end tamper proof when lid is sealed
 - 2. Vertical lid drop prevents catching on conveyors
 - 3. Locking seals for security
 - 4. Strong smooth base for all type of automated handling
- NB:Not compatible with Integra®



Attached Lid Containers

Kaiman® - 400 x 300

	9937.004 - 18 L			9108.004 - 25 L	
	Ext. (mm)	400 x 300 x 222		Ext. (mm)	400 x 300 x 306
	Int. (mm)	338 x 254 x 197		Int. (mm)	329 x 250 x 282
	Weight (Kg)	1.58		Weight (Kg)	1.95
	Stacked height	210		Stacked height	295
	Nesting ratio	51.00 %		Nesting ratio	65.00 %
Version		A / D / K	Version		A / D / K

	9107.004 - 22 L			A199580020 - Seal for Kaiman®	
	Ext. (mm)	400 x 300 x 264		One way tamper evident seal	
	Int. (mm)	334 x 254 x 239		for Kaiman® range.	
	Weight (Kg)	1.76		2 seals per box.	
	Stacked height	252		Supplied in bags of 1000 units.	
	Nesting ratio	59.00 %			
Version		A / D / K			

Kaiman® - 600 x 400

	9109.004 - 48 L			8584.004 - 65 L	
	Ext. (mm)	600 x 400 x 264		Ext. (mm)	600 x 400 x 367
	Int. (mm)	530 x 353 x 240		Int. (mm)	508 x 346 x 341
	Weight (Kg)	3.05		Weight (Kg)	3.25
	Stacked height	253		Stacked height	354
	Nesting ratio	59.00 %		Nesting ratio	70.00 %
Version		A / D / K	Version		A / D / K

	8583.004 - 54 L			9114.004 - 70 L	
	Ext. (mm)	600 x 400 x 306		Ext. (mm)	600 x 400 x 400
	Int. (mm)	515 x 346 x 282		Int. (mm)	503 x 343 x 375
	Weight (Kg)	2.99		Weight (Kg)	3.7
	Stacked height	295		Stacked height	388
	Nesting ratio	65.00 %		Nesting ratio	73.00 %
Version		A / D / K	Version		A / D / K

91140L4 UN certified version.

Euro ALC - 600 x 400

	9104.004 - 65 L		
	Ext. (mm)	600 x 400 x 385	
	Int. (mm)	512 x 329 x 355	
	Weight (Kg)	3.0	
	Stacked height	368	
	Nesting ratio	70.00 %	
Version	A / D / K		

Tellus Stack/Nest top benefits

- 1. Versatile wide range: 4 footprints for all types of goods
- 2. Reinforced top rim for automated handling and robot gripping
- 3. Ergonomics: deep comfortable handles



Tellus Stack/Nest

300 x 200



4570.760 - 5 L

Ext. (mm) 300 x 200 x 150
Int. (mm) 230 x 180 x 137
Weight (Kg) 0.45
Stacked height 135
Nesting ratio 80.00 %
Version A / D



400 x 300



7924.760 - 18 L

Ext. (mm) 400 x 300 x 220
Int. (mm) 320 x 270 x 200
Weight (Kg) 0.93
Stacked height 206
Nesting ratio 70.00 %
Version A / D



600 x 400



7927.760 - 20 L

Ext. (mm) 600 x 400 x 120
Int. (mm) 516 x 370 x 103
Weight (Kg) 1.34
Stacked height 105
Nesting ratio 65.00 %
Version A / D




4129.760 - 50 L

Ext. (mm) 600 x 400 x 270
Int. (mm) 513 x 366 x 250
Weight (Kg) 2.1
Stacked height 255
Nesting ratio 67.00 %
Version A / D



4130.760 - 66 L

Ext. (mm) 600 x 400 x 350
Int. (mm) 515 x 368 x 332
Weight (Kg) 2.47
Stacked height 335
Nesting ratio 66.00 %
Version A / D




7907.822 - Tellus snap shut lid

Ext. (mm) 600 x 400 x 38
Weight (Kg) 0.915
Version W



Supplied in boxes of 15 units. / Ref. 7907.823 foldable version.



7907.820 - Tellus lid

Ext. (mm) 600 x 400 x 27
Weight (Kg) 0.88
Version W



Supplied in boxes of 15 units.

800 x 400



7931.860 - 87 L

Ext. (mm) 800 x 400 x 350
Int. (mm) 718 x 365 x 332
Weight (Kg) 3.42
Stacked height 335
Nesting ratio 63.00 %
Version A / D



7925.760 - 40 L

Ext. (mm) 600 x 400 x 220
Int. (mm) 516 x 370 x 203
Weight (Kg) 1.9
Stacked height 205
Nesting ratio 66.00 %
Version A / D



7931.860 - 87 L

Ext. (mm) 800 x 400 x 350
Int. (mm) 718 x 365 x 332
Weight (Kg) 3.42
Stacked height 335
Nesting ratio 63.00 %
Version A / D



Bicolor Stack/Nest 180° top benefits

- 1. Bicolor for fast and easy Stack/Nest handling
- 2. Strong smooth base and walls for automated food industry process and logistics
- 3. Maximum space saving and lower reverse logistics cost thanks to a 72% nesting ratio



Bicolor Stack/Nest 180°

600 x 400



9565.004 - 18 L

Ext. (mm) 600 x 400 x 117
Int. (mm) 458 x 338 x 102
Weight (Kg) 1.17
Stacked height 105
Nesting ratio 71.00 %
Version A / D



Ref. 9565.000 solid base, ventilated walls version.



9565.001 - 18 L

Ext. (mm) 600 x 400 x 117
Int. (mm) 458 x 338 x 102
Weight (Kg) 1.09
Stacked height 110
Nesting ratio 71.00 %
Version C / E



9568.001 - 32 L

Ext. (mm) 600 x 400 x 200
Int. (mm) 457 x 338 x 177
Weight (Kg) 1.74
Stacked height 180
Nesting ratio 70.00 %
Version A / D / G



Ref. 9568.006 solid base ventilated walls version.



9568.000 - 32 L

Ext. (mm) 600 x 400 x 200
Int. (mm) 457 x 338 x 177
Weight (Kg) 1.6
Stacked height 180
Nesting ratio 70.00 %
Version C / E / G



9474.001 - 43 L

Ext. (mm) 600 x 400 x 235
Int. (mm) 547 x 347 x 214
Weight (Kg) 1.75
Stacked height 222
Nesting ratio 74.00 %
Version C / E / G



8110.722 - 40 L

Ext. (mm) 600 x 400 x 238
Int. (mm) 510 x 310 x 218
Weight (Kg) 1.8
Stacked height 221
Nesting ratio 80.00 %
Version B / E / G



9567.000 - 50 L

Ext. (mm) 600 x 400 x 300
Int. (mm) 460 x 340 x 270
Weight (Kg) 2.4
Stacked height 285
Nesting ratio 72.00 %
Version A / D / G



Ref. 9567.002 solid base, ventilated walls version.



9567.001 - 50 L

Ext. (mm) 600 x 400 x 300
Int. (mm) 460 x 340 x 270
Weight (Kg) 2.08
Stacked height 285
Nesting ratio 72.00 %
Version C / E / G



9563.000 - 70 L

Ext. (mm) 600 x 400 x 400
Int. (mm) 460 x 340 x 370
Weight (Kg) 3.04
Stacked height 375
Nesting ratio 71.00 %
Version A / D / G



Ref. 9563.001 ventilated version.



9355.000 - Lid

Ext. (mm) 614 x 412 x 40
Weight (Kg) 0.98
Version W



Snap shut lid for bicolor range. / Supplied in boxes of 12 units.

800 x 400



9807.006 - 46 L

Ext. (mm) 800 x 400 x 200
Int. (mm) 742 x 352 x 180
Weight (Kg) 2.524
Stacked height 184
Nesting ratio 60.00 %
Version A / E / G



800 x 600



9564.000 - 145 L

Ext. (mm) 800 x 600 x 440
Int. (mm) 642 x 442 x 402
Weight (Kg) 5.1
Stacked height 420
Nesting ratio 64.00 %
Version C / E / H



Stack/Nest 50% top benefits

- 1. Bicolor for easy Stack/Nest handling
- 2. Maximum internal volume in a nesting box thanks to straight walls design
- 3. 50% space-saving reduces carbon impact
- 4. Reinforced bases for automated handling – Ventilation for fast cooling




Stack/Nest 50 %

Euro 600 x 400



9703.002 - 20 L
Ext. (mm) 600 x 400 x 118
Int. (mm) 556 x 357 x 100
Weight (Kg) 1.37
Stacked height 107
Nesting ratio 34.00 %
Version C / E / G



9702.004 - 26 L
Ext. (mm) 600 x 400 x 147
Int. (mm) 553 x 360 x 122
Weight (Kg) 1.52
Stacked height 137.5
Nesting ratio 48.00 %
Version C / E / H



9472.001 - 26 L
Ext. (mm) 600 x 400 x 151
Int. (mm) 552 x 367 x 140
Weight (Kg) 1.58
Stacked height 141
Nesting ratio 54.00 %
Version C / E / G / I



9703.001 - 27 L
Ext. (mm) 600 x 400 x 153
Int. (mm) 556 x 357 x 135
Weight (Kg) 1.55
Stacked height 142
Nesting ratio 48.00 %
Version B / E / G



9703.003 - 27 L
Ext. (mm) 600 x 400 x 153
Int. (mm) 556 x 357 x 135
Weight (Kg) 1.5
Stacked height 142
Nesting ratio 48.00 %
Version C / E / G




9699.000 - 35 L
Ext. (mm) 600 x 400 x 187
Int. (mm) 553 x 360 x 171
Weight (Kg) 1.78
Stacked height 180
Nesting ratio 49.00 %
Version B / E / H



9699.002 - 35 L
Ext. (mm) 600 x 400 x 187
Int. (mm) 553 x 360 x 163
Weight (Kg) 1.74
Stacked height 180
Nesting ratio 48.00 %
Version C / E / H



9698.000 - 36 L
Ext. (mm) 600 x 400 x 200
Int. (mm) 547 x 345 x 186
Weight (Kg) 2.03
Stacked height 190
Nesting ratio 49.00 %
Version A / D / G



9697.001 - 45 L
Ext. (mm) 600 x 400 x 232
Int. (mm) 553 x 360 x 217
Weight (Kg) 2.13
Stacked height 225
Nesting ratio 49.00 %
Version B / E / H



9692.006 - 46 L
Ext. (mm) 600 x 400 x 244
Int. (mm) 550 x 357 x 228
Weight (Kg) 2.1
Stacked height 233
Nesting ratio 49.00 %
Version C / E / G



9707.000 - 60 L
Ext. (mm) 600 x 400 x 316
Int. (mm) 553 x 360 x 297
Weight (Kg) 2.62
Stacked height 307
Nesting ratio 47.00 %
Version B / E / H



Non Euro Stack/Nest 180°



9690.000 - 35 L
Ext. (mm) 500 x 400 x 270
Int. (mm) 370 x 340 x 240
Weight (Kg) 1.85
Stacked height 245
Nesting ratio 57.00 %
Version A / D / G



Structured base.

9693.001 - 30 L
Ext. (mm) 800 x 450 x 150
Int. (mm) 620 x 370 x 105
Weight (Kg) 2.5
Stacked height 120
Nesting ratio 70.00 %
Version B / D / G



Ref. 9693.000 solid base version.

9693.002 - 30 L
Ext. (mm) 800 x 450 x 150
Int. (mm) 620 x 370 x 115
Weight (Kg) 2.5
Stacked height 120
Nesting ratio 69.00 %
Version B / D / G



Structured base.

9475.029 - 38 L
Ext. (mm) 800 x 450 x 190
Int. (mm) 628 x 376 x 155
Weight (Kg) 2.6
Stacked height 170
Nesting ratio 71.00 %
Version B / D / G



9700.000 - 60 L
Ext. (mm) 800 x 450 x 270
Int. (mm) 620 x 370 x 230
Weight (Kg) 3.68
Stacked height 240
Nesting ratio 69.00 %
Version A / D / G



9696.001 - 60 L
Ext. (mm) 800 x 450 x 270
Int. (mm) 620 x 370 x 230
Weight (Kg) 3.68
Stacked height 240
Nesting ratio 69.00 %
Version B / D / G



9700.001 - 60 L
Ext. (mm) 800 x 450 x 270
Int. (mm) 620 x 370 x 230
Weight (Kg) 3.68
Stacked height 240
Nesting ratio 66.00 %
Version B / D / G



9704.000 - 75 L
Ext. (mm) 890 x 560 x 235
Int. (mm) 695 x 475 x 200
Weight (Kg) 4.2
Stacked height 205
Nesting ratio 72.00 %
Version A / D / G



9704.005 - 75 L
Ext. (mm) 890 x 560 x 235
Int. (mm) 695 x 475 x 200
Weight (Kg) 4.2
Stacked height 205
Nesting ratio 72.00 %
Version B / D / G



Nest only

Small Box



4660.750 - 37 L
Ext. (mm) 600 x 400 x 200
Int. (mm) 546 x 370 x 197
Weight (Kg) 1.9
Stacked height 203
Nesting ratio 75.00 %
Version A / D




Supplied in boxes of 17 units.

4561.820 - Lid
Ext. (mm) 600 x 400 x 23
Weight (Kg) 0.8
Version W



4564.760 - 79 L
Ext. (mm) 800 x 600 x 200
Int. (mm) 746 x 570 x 197
Weight (Kg) 3.0
Stacked height 203
Nesting ratio 75.00 %
Version A / D



Supplied in boxes of 20 units.

4563.820 - Lid
Ext. (mm) 813 x 619 x 15
Weight (Kg) 1.63
Version W



Folding Small Containers

Our versatile Folding Small Containers (FSCs) are used in a wide range of industries and applications, from food retail supply chain to automotive parts distribution. Standard footprints and saving up to 85% space when folded, FSC's are the most profitable and environment friendly reusable logistics packaging solution.



Discover more in our folding small containers brochure



Prelog® top benefits

- 1. Maximum ventilation for fresh food freshness and quality
- 2. Smooth walls and base surfaces for fragile product care
- 3. Ideal for Fruit and vegetables retail



Prelog® Classic

	3213.750 - 21 L Ext. (mm) 600 x 400 x 115 Int. (mm) 566 x 366 x 91 Weight (Kg) 1.87 Stacked height 107 Folded height 42 Version C / E / H / K
	3219.750 - 28 L Ext. (mm) 600 x 400 x 146 Int. (mm) 566 x 366 x 122 Weight (Kg) 1.72 Stacked height 138 Folded height 42 Version C / E / H / K
	3218.750 - 30 L Ext. (mm) 600 x 400 x 165 Int. (mm) 566 x 366 x 141 Weight (Kg) 1.8 Stacked height 157 Folded height 42 Version C / E / H / K

	3212.750 - 36 L Ext. (mm) 600 x 400 x 190 Int. (mm) 566 x 366 x 166 Weight (Kg) 1.9 Stacked height 182 Folded height 42 Version C / E / H / K
	3211.750 - 47 L Ext. (mm) 600 x 400 x 235 Int. (mm) 566 x 366 x 221 Weight (Kg) 2.1 Stacked height 227 Folded height 42 Version C / E / H / K

XLXS

	9283.001 - 20 L Ext. (mm) 600 x 400 x 118 Int. (mm) 570 x 367 x 96 Weight (Kg) 1.35 Stacked height 108 Folded height 28 Version B / E / H / K
	9719.001 - 37 L Ext. (mm) 600 x 400 x 196 Int. (mm) 570 x 370 x 174 Weight (Kg) 1.64 Stacked height 186 Folded height 28 Version B / E / H / K

Prelog® CMB top benefits

- 1. Maximum content protection thanks to sealable attached lids
- 2. Easy folding/erecting with locking tabs system
- 3. Open handles for ergonomic handling



Prelog® CMB

400 x 300

	1810.100 - 21 L Ext. (mm) 400 x 300 x 240 Int. (mm) 364 x 264 x 216 Weight (Kg) 1.66 Stacked height 230 Folded height 52 Version A / D / G / K
--	---

Lid included.

600 x 400

	1811.100 - 68 L Ext. (mm) 600 x 400 x 343 Int. (mm) 560 x 366 x 325 Weight (Kg) 3.5 Stacked height 333 Folded height 58 Version A / D / G / K
--	--

Lid included.

	1813.000 - 80 L Ext. (mm) 600 x 400 x 400 Int. (mm) 570 x 370 x 380 Weight (Kg) 4.3 Stacked height 392 Folded height 67 Version A / D / G / K
--	--

Lid included.

Prelog® NG

	3234.001 - 41 L Ext. (mm) 600 x 400 x 214 Int. (mm) 564 x 366 x 202 Weight (Kg) 2.17 Stacked height 206 Folded height 50 Version A / D / K
	3235.001 - 55 L Ext. (mm) 600 x 400 x 280 Int. (mm) 564 x 366 x 268 Weight (Kg) 2.6 Stacked height 272 Folded height 50 Version A / D / K

	3236.001 - 62 L Ext. (mm) 600 x 400 x 314 Int. (mm) 564 x 366 x 302 Weight (Kg) 2.8 Stacked height 306 Folded height 50 Version A / D / K
--	--

Other FSC

600 x 500

	3230.900 - 79 L Ext. (mm) 594 x 495 x 314 Int. (mm) 564 x 465 x 301 Weight (Kg) 3.28 Stacked height 306 Folded height 63 Version A / D / K
--	---

800 x 600

	9671.004 - 178 L Ext. (mm) 800 x 600 x 465 Int. (mm) 760 x 560 x 420 Weight (Kg) 7.4 Stacked height 453 Folded height 108 Version A / D / G / K
--	--

Lid included. / Available seal 1810.830 : Supplied in bags of 2000 units



Stackable Containers | EasyStack®

Stackable containers are suitable for a variety of industries and offer efficient handling, storage and transport. Thanks to many different footprints, heights and variants, they meet all kind of industry needs. Small, versatile and easy to handle, they are the perfect solution for automated handling systems.

VDA/KLT and Galia Containers



1. VDA compliant crates range: our CKLT, RKLT and RLKLT ranges include new models: 400 x 300 and 600 x 400 RKLT and RLKLT with 213 mm height.
2. Extensive Galia range: on top of the Odette 20kg range, we provide the 1200 x 300 container and several 600 x 500 models.
3. Euro standard: inter stacking with most Euro stacking crates on the market, the VDA and Galia automotive ranges offer features such as reinforced base, multiple standard label holders, deep comfortable handles.
4. Automated handling of heavy loads: multiple robot grips on walls and corners make the automotive containers compatible with automated handling systems. Strong pillars allow high stacking of heavy unit loads. All our boxes have passed the very demanding VDA and Galia tests.

→ More details see product **page 38**

Euro Stacking Containers



1. New Euroclick® range: euro containers with unique features: Click Booster® to increase the height of your crate by 15 mm in one click, and the Click Holder®, on either sides or ends. Lightweight, smooth and strong, this new range is the ideal partner of industrial logistics.
2. Wide standard range: solid or ventilated, with open or closed handles, label holders, lids... our Euro stacking range encompasses a variety of versions to meet all industries needs for handling, storage and logistics.
3. Seven footprints from 200 x 150 to 1000 x 400 and multiple height options, we are sure you will find the ideal crate for your own needs.
4. Automation: straight walls, corner pillars, double base... We offer, on application, our Eureka and LWB euro ranges designed for carrying heavy unit loads on automated handling systems.

→ More details see product **page 42**

Non Euro Stacking Containers



1. Special footprints and features for specific applications: because some parts and products have an awkward shape or size, and need to be handled in precise shipping units, Schoeller Allibert has developed many stackable crates for particular end uses.
2. Always meeting your needs: 500 x 300 ventilated crates for fruit harvesting, 750 x 500 cheese ripening crates, 762 x 457 mm confectionery trays: each activity can find a crate in our offer. Designed with industry leaders, they enhance process efficiency and reduce carbon footprint.
3. Automated handling: most of our stackable containers are compatible with conveying and automated handling equipment. RFID and bar code ready they are easily tracked.

→ More details see product **page 51**

System 9000



1. Modular flexible system: our small parts storage ranges include open front crates that can either stand on shelf or hook on louvered panels. Storage trays in 4 widths and 4 depths are designed to perfectly fit in carousel systems.
2. Wide range: from 0,2 to 33 L, for storage and easy access to all kinds of parts, tools and accessories. Ideal for assembly lines, aftersales, and maintenance services.
3. Compact and clever design prevents lost space between boxes optimizing storage space and enabling more different references on each level.
4. Customization and accessories: dividers for both width and length, clear cover for labels and self adhesive labels are amongst the multiple accessories we provide.

→ More details see product **page 52**

KLT top benefits

- 1. VDA norm compliant ranges.
- 2. Four new models in R-KLT and RL-KLT ranges for a unique extensive offer.
- 3. Efficient identification: multiple integrated label holders on sides and ends.
- 4. A wide choice from heavy duty to lightweight: C-KLT present reinforced base and walls, R-KLT, reinforced base and single walls, RL-KLT single base and walls.



VDA KLT

VDA R-KLT - 300 x 200



4150.760 (R-KLT 3215) - 5 L	
Ext. (mm)	297 x 198 x 147
Int. (mm)	243 x 162 x 129.5
Weight (Kg)	0.57
Stacked height	133
Version	A / D / K



Lid ref. 4160.820 (RD 32) compatible with 300 x 200 R and RL-KLT.

VDA RL-KLT - 300 x 200



4170.004 (RL-KLT 3147) - 5 L	
Ext. (mm)	300 x 200 x 147
Int. (mm)	243 x 162 x 129.5
Weight (Kg)	0.57
Stacked height	133
Version	A / D / K



Lid ref. 4165.820 (D 39) compatible with 300 x 200 R and RL-KLT.

VDA R-KLT - 400 x 300



4151.760 (R-KLT 4315) - 10 L	
Ext. (mm)	396 x 297 x 147
Int. (mm)	346 x 265 x 109.5
Weight (Kg)	1.4
Stacked height	133
Version	I / D / K



4155.760 (R-KLT 4322) - 16.2 L	
Ext. (mm)	400 x 300 x 213
Int. (mm)	346 x 265 x 176
Weight (Kg)	1.61
Stacked height	198.75
Version	I / D / K



Lid ref. 4166.820 (D 45) compatible with 400 x 300 R and RL-KLT.



4152.760 (R-KLT 4329) - 22 L	
Ext. (mm)	400 x 300 x 280
Int. (mm)	346 x 265 x 242
Weight (Kg)	1.88
Stacked height	265
Version	I / D / K



Lid ref. 4161.821 (RD 43) compatible with 400 x 300 R and RL-KLT.

VDA R-KLT - 600 x 400



4154.760 (R-KLT 6415) - 22 L	
Ext. (mm)	594 x 396 x 147
Int. (mm)	544 x 364 x 109.5
Weight (Kg)	2.1
Stacked height	133
Version	I / D / K



Lid ref. 4162.821 (RD 64) compatible with 600 x 400 R and RL-KLT.

VDA RL-KLT - 600 x 400



4174.004 (RL-KLT 6147) - 25 L	
Ext. (mm)	594 x 396 x 147
Int. (mm)	544 x 359 x 129.5
Weight (Kg)	2.04
Stacked height	133
Version	A / D / K



Lid ref. 4164.820 (D 69) compatible with 600 x 400 R and RL-KLT.

VDA R-KLT - 600 x 400



4153.760 (R-KLT 6429) - 48 L	
Ext. (mm)	594 x 396 x 280
Int. (mm)	544 x 364 x 242
Weight (Kg)	1.88
Stacked height	265
Version	I / D / K



4157.760 (R-KLT 6422) - 34.9 L	
Ext. (mm)	600 x 400 x 213
Int. (mm)	544 x 364 x 176
Weight (Kg)	2.6
Stacked height	198.75
Version	I / D / K



Lid ref. 4167.820 (D 65) compatible with 600 x 400 R and RL-KLT.

(All products are available in ESD material.)

VDA RL-KLT - 600 x 400



4173.004 (RL-KLT 6280) - 52 L	
Ext. (mm)	594 x 396 x 280
Int. (mm)	544 x 359 x 262
Weight (Kg)	2.04
Stacked height	133
Version	A / D / K



4177.004 (RL-KLT 6213) - 38.9 L	
Ext. (mm)	600 x 400 x 213
Int. (mm)	544 x 359 x 176
Weight (Kg)	2.27
Stacked height	198.75
Version	A / D / K



C-KLT - 300 x 200



9238.000 (C-KLT 3214) - 4.5 L	
Ext. (mm)	300 x 200 x 147
Int. (mm)	260 x 136 x 129.5
Weight (Kg)	0.72
Stacked height	132.5
Version	A / D / K



Lid ref. 9368.000 (D 32).

C-KLT - 400 x 300



9268.004 (C-KLT 4314) - 9 L	
Ext. (mm)	400 x 300 x 147
Int. (mm)	334 x 247 x 105.5
Weight (Kg)	1.63
Stacked height	132.5
Version	I / D / K



9269.004 (C-KLT 4321) - 14 L	
Ext. (mm)	400 x 300 x 213
Int. (mm)	334 x 247 x 171
Weight (Kg)	2.07
Stacked height	198
Version	I / D / K



9270.004 (C-KLT 4328) - 19 L	
Ext. (mm)	400 x 300 x 280
Int. (mm)	334 x 247 x 238
Weight (Kg)	2.6
Stacked height	265
Version	I / D / K



C-KLT - 600 x 400



9271.004 (C-KLT 6414) - 18 L	
Ext. (mm)	600 x 400 x 147
Int. (mm)	532 x 346 x 100.8
Weight (Kg)	2.8
Stacked height	132.5
Version	A / D / K



9272.004 (C-KLT 6421) - 30 L	
Ext. (mm)	600 x 400 x 213
Int. (mm)	532 x 346 x 167
Weight (Kg)	3.7
Stacked height	199
Version	A / D / K



9273.000 (C-KLT 6428) - 42 L	
Ext. (mm)	600 x 400 x 280
Int. (mm)	532 x 346 x 233
Weight (Kg)	4.4
Stacked height	265
Version	A / D / K



9275.000 (D 43) - Lid	
Ext. (mm)	367 x 269 x 25
Weight (Kg)	0.23
Version	W



9369.000 (D 64) - Lid	
Ext. (mm)	565 x 368 x 25
Weight (Kg)	0.55
Version	W



(All products are available in ESD material.)

Galia top benefits

- 1. Standardized automotive containers
- 2. 4 footprints for modular, versatile logistics
- 3. Integrated Galia standard label holders



Galia Odette

300 x 200




5212.500 (3212) - 4 L

Ext. (mm) 297 x 197 x 114
Int. (mm) 263 x 163 x 94
Weight (Kg) 0.57
Stacked height 99
Version A / D / K



Lid ref. 9363.000

400 x 300



4312.500 (4312) - 9 L

Ext. (mm) 396 x 297 x 114
Int. (mm) 362 x 263 x 94
Weight (Kg) 0.9
Stacked height 99
Version A / D / K



Lid ref. 9364.000



4322.500 (4322) - 18 L

Ext. (mm) 396 x 297 x 214
Int. (mm) 362 x 263 x 194
Weight (Kg) 1.44
Stacked height 199
Version A / D / K



Lid ref. 9364.000

Galia

600 x 500



9274.000 - 51 L

Ext. (mm) 594 x 496 x 214
Int. (mm) 550 x 462 x 196.5
Weight (Kg) 2.75
Stacked height 200
Version A / D / K





9484.029 - 75 L

Ext. (mm) 594 x 496 x 314
Int. (mm) 550 x 462 x 296.5
Weight (Kg) 3.18
Stacked height 300
Version A / D / K



600 x 400



6422.500 (6422) - 39 L

Ext. (mm) 594 x 396 x 214
Int. (mm) 560 x 362 x 194
Weight (Kg) 2.38
Stacked height 199
Version A / D / K





6432.500 (6432) - 59 L

Ext. (mm) 594 x 396 x 314
Int. (mm) 560 x 362 x 294
Weight (Kg) 2.96
Stacked height 299
Version A / D / K





9365.000 - Lid

Ext. (mm) 564 x 367 x 6
Weight (Kg) 0.39
Version W



Supplied in boxes of 30 units.

600 x 400



9486.029 - 20 L

Ext. (mm) 600 x 400 x 114
Int. (mm) 550 x 362 x 96.5
Weight (Kg) 1.75
Stacked height 100
Version A / D / K





9249.000 - 40 L

Ext. (mm) 1196 x 328 x 150
Int. (mm) 1147 x 275 x 132
Weight (Kg) 3.7
Stacked height 135
Version A / D / K



Ref. 9552.00 divider.

Dollies top benefits | RollFlow®

- 1. Light and strong for effortlessly moving loads up to 250 Kg
- 2. For manoeuvrability, most models are available with swivel wheels
- 3. Rim ensures secure stacking of containers



600 x 400



8400.500

Ext. (mm) 598 x 400 x 182
Weight (Kg) 3.8
Version X / Y



Nylon wheels.



8400.600

Ext. (mm) 598 x 400 x 182
Weight (Kg) 3.8
Version X / Z



Nylon wheels.



9190.001 - Linkable Dolly

Ext. (mm) 600 x 400 x 188
Weight (Kg) 4.2
Version X / Y



Rubber wheels.



9193.000

Ext. (mm) 604 x 402 x 162
Weight (Kg) 4.0
Version X / Y



Nylon wheels.



9193.002

Ext. (mm) 604 x 402 x 162
Weight (Kg) 4.0
Version X / Y



Rubber wheels.



9193.025

Ext. (mm) 604 x 402 x 162
Weight (Kg) 3.5
Version X / Y



Nylon wheels.



9191.001 - Linkable Dolly

Ext. (mm) 604 x 454 x 195
Weight (Kg) 4.2
Version X / Y



Nylon wheels.



2800.500

Ext. (mm) 612 x 412 x 182
Weight (Kg) 4.1
Version X / Y



Nylon wheels.

800 x 600



9192.004 - Universal Dolly

Ext. (mm) 800 x 600 x 171
Weight (Kg) 9.7
Version W / Z



Rubber wheels. / With break.



9198.000

Ext. (mm) 1300 x 350 x 300
Weight (Kg) 2.0



Shaft for dolly ref.9192.004

Euroclick®: The new Eurocontainer with unique features.

08 Light

Now the same high quality comes with less weight, helping you to **cut costs**.

07 Customisation

Enjoy the **freedom of customisation** with choice of colours, ventilated sides, pin-dot areas, engraving and printing.

01 Click Booster®

Easily increase the height of the crates and **extend your range** with the Click Booster®.

02 Drain Holes

Choose the option to meet the requirements of your **fire service system**.

03 Click-on Click Holder®

No more lost labels - the holder is purpose-designed to **hold labels in place** to guarantee 100% readability. Can be placed in two locations and its size can be modified.

05 Rounded corners

Provide **extra strength** and **smoother direction changes** on conveyors.

04 Double-base rim

This additional support **limits base deflection** and allows **smoother movement** on rollers. We also introduced a sloped edge to **reduce water retention**.

06 Ergonomic handgrips

Small changes make a big difference - conveniently placed, ergonomic handgrips make EuroClick® **more comfortable** for users, **enhancing efficiency and safety**.

Euroclick® - 400 x 300

New	8300.000 - 10.2 L	
	Ext. (mm) 397 x 297 x 120 Int. (mm) 367 x 267 x 107 Weight (Kg) 0.7 Stacked height 110 Version A / D	
New	8302.000 - 15.4 L	
	Ext. (mm) 397 x 297 x 175 Int. (mm) 367 x 267 x 162 Weight (Kg) 0.89 Stacked height 165 Version A / D	
New	8301.000 - 12.6 L	
	Ext. (mm) 397 x 297 x 145 Int. (mm) 367 x 267 x 132 Weight (Kg) 0.8 Stacked height 135 Version A / D	
New	8303.000 - 19.7 L	
	Ext. (mm) 397 x 297 x 220 Int. (mm) 367 x 267 x 207 Weight (Kg) 1.0 Stacked height 210 Version A / D	

Euroclick® - 400 x 300

New	8304.000 - 20.9 L	
	Ext. (mm) 397 x 297 x 235 Int. (mm) 367 x 267 x 219.5 Weight (Kg) 1.1 Stacked height 222.5 Version A / D	
New	8305.000 - 24.2 L	
	Ext. (mm) 397 x 297 x 270 Int. (mm) 367 x 267 x 254.5 Weight (Kg) 1.2 Stacked height 257.5 Version A / D	
New	8306.000 - 29 L	
	Ext. (mm) 397 x 297 x 320 Int. (mm) 367 x 267 x 304.5 Weight (Kg) 1.3 Stacked height 307.5 Version A / D	
New	8313.000 - Click Booster®	
	Ext. (mm) 397 x 297 x 23.5 Weight (Kg) 0.13	
	8705.820	
	Ext. (mm) 400 x 300 x 26 Weight (Kg) 0.34 Version W	

Supplied in boxes of 40 units.

Euroclick® - 600 x 400

New	8307.000 - 21.6 L	
	Ext. (mm) 597 x 397 x 120 Int. (mm) 567 x 367 x 106.5 Weight (Kg) 1.4 Stacked height 110 Version A / D	
New	8308.000 - 32.8 L	
	Ext. (mm) 597 x 397 x 175 Int. (mm) 567 x 367 x 161.5 Weight (Kg) 1.71 Stacked height 165 Version A / D	
New	8309.000 - 41.4 L	
	Ext. (mm) 597 x 397 x 220 Int. (mm) 567 x 367 x 204 Weight (Kg) 1.82 Stacked height 209.5 Version A / D	
New	8310.000 - 44.5 L	
	Ext. (mm) 597 x 397 x 235 Int. (mm) 567 x 367 x 219 Weight (Kg) 1.9 Stacked height 224.5 Version A / D	
New	8311.000 - 51.6 L	
	Ext. (mm) 597 x 397 x 270 Int. (mm) 567 x 367 x 254 Weight (Kg) 2.28 Stacked height 257.5 Version A / D	
New	8312.000 - 61.7 L	
	Ext. (mm) 597 x 397 x 320 Int. (mm) 567 x 367 x 304 Weight (Kg) 2.5 Stacked height 307.5 Version A / D	
New	8315.000 - Label holder®	
	Ext. (mm) 216 x 91 x 14.5 Weight (Kg) 0.035	
New	8314.000 - Click Booster®	
	Ext. (mm) 597 x 397 x 23.5 Weight (Kg) 0.18	
	8714.820	
	Ext. (mm) 600 x 400 x 26 Weight (Kg) 0.92 Version W	

Supplied in boxes of 20 units.

Euro Stacking Containers top benefits

- 1. Flat bases compatible with all types of conveyors
- 2. Straight walls to optimize storage volume
- 3. Integrated label holders on some models
- 4. Vertical ribs to ensure stacking strength up to 1000 Kg
- 5. All models inter stack for efficient logistics and storage



Euro Containers

200 x 150




9220.000 - 2 L
Ext. (mm) 200 x 150 x 118
Int. (mm) 165 x 115 x 108
Weight (Kg) 0.25
Stacked height 110
Version A / D



300 x 200



8715.005 - 4 L
Ext. (mm) 297 x 197 x 120
Int. (mm) 257 x 158 x 107
Weight (Kg) 0.45
Stacked height 110
Version A / D / K



9262.000 - 5 L
Ext. (mm) 300 x 200 x 118
Int. (mm) 257 x 159 x 108
Weight (Kg) 0.4
Stacked height 110
Version A / D



400 x 300



8700.000 - 6 L
Ext. (mm) 395 x 295 x 75
Int. (mm) 356 x 257 x 62
Weight (Kg) 0.59
Stacked height 65
Version A / D



9251.001 - 10 L
Ext. (mm) 400 x 300 x 118
Int. (mm) 355 x 255 x 105
Weight (Kg) 0.7
Stacked height 110
Version A / D




9227.000 - 6 L
Ext. (mm) 400 x 300 x 74
Int. (mm) 355 x 255 x 64
Weight (Kg) 0.52
Stacked height 67
Version A / D



8701.005 - 10 L
Ext. (mm) 400 x 300 x 120
Int. (mm) 356 x 257 x 107
Weight (Kg) 0.77
Stacked height 110
Version A / D / K



9251.000 - 9.6 L
Ext. (mm) 400 x 300 x 118
Int. (mm) 355 x 255 x 105
Weight (Kg) 0.7
Stacked height 110
Version C / E



8702.005 - 15 L
Ext. (mm) 400 x 300 x 172
Int. (mm) 356 x 257 x 162
Weight (Kg) 0.93
Stacked height 165
Version A / D / K



Euro Containers

400 x 300



9232.000 - 16 L
Ext. (mm) 400 x 300 x 175
Int. (mm) 355 x 255 x 164
Weight (Kg) 0.95
Stacked height 167
Version A / D



8703.005 - 20 L
Ext. (mm) 396 x 296 x 235
Int. (mm) 356 x 257 x 222
Weight (Kg) 1.16
Stacked height 225
Version A / D / K



8703.720 - 20 L
Ext. (mm) 400 x 300 x 235
Int. (mm) 356 x 257 x 222
Weight (Kg) 0.93
Stacked height 225
Version C / E / G



9240.001 - 20 L
Ext. (mm) 400 x 300 x 235
Int. (mm) 355 x 255 x 220
Weight (Kg) 1.32
Stacked height 225
Version A / D



9234.000 - 30 L
Ext. (mm) 400 x 300 x 319
Int. (mm) 355 x 255 x 300
Weight (Kg) 1.74
Stacked height 309
Version A / D




9213.006 - 30 L
Ext. (mm) 400 x 300 x 319
Int. (mm) 355 x 255 x 300
Weight (Kg) 1.19
Stacked height 309
Version A / E



8705.820
Ext. (mm) 400 x 300 x 26
Weight (Kg) 0.34
Version W



8705.821
Ext. (mm) 400 x 300 x 26
Weight (Kg) 0.34
Version W



9352.000
Ext. (mm) 400 x 300 x 30
Weight (Kg) 0.36
Version W




600 x 400



9228.000 - 8 L
Ext. (mm) 600 x 400 x 50
Int. (mm) 555 x 355 x 40
Weight (Kg) 0.9
Stacked height 42
Version A / D



9229.000 - 12 L
Ext. (mm) 600 x 400 x 73
Int. (mm) 555 x 355 x 62
Weight (Kg) 1.14
Stacked height 65
Version A / D



9229.001 - 12 L
Ext. (mm) 600 x 400 x 73
Int. (mm) 555 x 355 x 57
Weight (Kg) 0.93
Stacked height 65
Version C / E



8707.005 - 12 L
Ext. (mm) 556 x 396 x 75
Int. (mm) 556 x 356 x 61
Weight (Kg) 1.16
Stacked height 65
Version A / D




9230.001 - 21 L
Ext. (mm) 600 x 400 x 118
Int. (mm) 555 x 355 x 105
Weight (Kg) 1.36
Stacked height 112
Version A / D



9230.000 - 21 L
Ext. (mm) 600 x 400 x 118
Int. (mm) 555 x 355 x 105
Weight (Kg) 1.2
Stacked height 112
Version C / E





9222.001 - 20 L

Ext. (mm) 600 x 400 x 120
Int. (mm) 556 x 358 x 104
Weight (Kg) 1.16
Stacked height 112
Version C / E



8708.005 - 21 L

Ext. (mm) 600 x 400 x 120
Int. (mm) 556 x 356 x 106
Weight (Kg) 1.43
Stacked height 110
Version A / D / K



9225.002 - 28 L

Ext. (mm) 600 x 400 x 150
Int. (mm) 555 x 355 x 139
Weight (Kg) 1.57
Stacked height 142
Version A / D

Ref. 9225.003 solid base and ventilated walls version.



9225.001 - 28 L

Ext. (mm) 600 x 400 x 150
Int. (mm) 555 x 355 x 139
Weight (Kg) 1.34
Stacked height 142
Version C / E



9242.000 - 32 L

Ext. (mm) 600 x 400 x 170
Int. (mm) 555 x 355 x 158
Weight (Kg) 1.22
Stacked height 160
Version C / E



8710.005 - 32 L

Ext. (mm) 600 x 400 x 175
Int. (mm) 553 x 356 x 161
Weight (Kg) 1.65
Stacked height 165
Version A / D / K



9235.000 - 33 L

Ext. (mm) 600 x 400 x 175
Int. (mm) 555 x 355 x 164
Weight (Kg) 1.9
Stacked height 167
Version A / D



9235.002 - 33 L

Ext. (mm) 600 x 400 x 175
Int. (mm) 555 x 355 x 164
Weight (Kg) 1.69
Stacked height 167
Version A / D / G



9247.000 - 35 L

Ext. (mm) 600 x 400 x 193
Int. (mm) 555 x 355 x 167
Weight (Kg) 1.57
Stacked height 180
Version C / E / G



8711.005 - 44 L

Ext. (mm) 600 x 400 x 235
Int. (mm) 556 x 356 x 221
Weight (Kg) 1.92
Stacked height 225
Version A / D / K



9237.000 - 45 L

Ext. (mm) 600 x 400 x 235
Int. (mm) 555 x 355 x 220
Weight (Kg) 2.04
Stacked height 225
Version A / D

Ref. 9264.005 open handholes version.




9237.002 - 45 L

Ext. (mm) 600 x 400 x 235
Int. (mm) 555 x 355 x 220
Weight (Kg) 1.96
Stacked height 225
Version A / E



9264.001 - 45 L

Ext. (mm) 600 x 400 x 235
Int. (mm) 555 x 355 x 215
Weight (Kg) 1.83
Stacked height 225
Version C / E / G



8679.001 - 52 L

Ext. (mm) 600 x 400 x 280
Int. (mm) 555 x 355 x 255
Weight (Kg) 2.18
Stacked height 268
Version C / E



6476.750 - 53 L

Ext. (mm) 600 x 400 x 280
Int. (mm) 555 x 355 x 267
Weight (Kg) 2.85
Stacked height 270
Version A / D / G



8679.004 - 54 L

Ext. (mm) 600 x 400 x 280
Int. (mm) 555 x 355 x 265
Weight (Kg) 2.51
Stacked height 268
Version A / D



2366.857 - 56 L

Ext. (mm) 600 x 400 x 300
Int. (mm) 555 x 355 x 283
Weight (Kg) 3.09
Stacked height 288
Version A / D / L



2366.851 - 56 L

Ext. (mm) 600 x 400 x 300
Int. (mm) 555 x 355 x 283
Weight (Kg) 3.15
Stacked height 288
Version A / D / M



9263.000 - 60 L

Ext. (mm) 600 x 400 x 319
Int. (mm) 555 x 355 x 295
Weight (Kg) 2.33
Stacked height 307
Version C / E / H



9250.001 - 60 L

Ext. (mm) 600 x 400 x 319
Int. (mm) 555 x 355 x 300
Weight (Kg) 2.75
Stacked height 307
Version A / D / H

Ref. 9250.000 closed handholes version.



9250.002 - 60 L

Ext. (mm) 600 x 400 x 319
Int. (mm) 555 x 355 x 300
Weight (Kg) 2.31
Stacked height 307
Version A / E / H



8712.005 - 59 L

Ext. (mm) 600 x 400 x 320
Int. (mm) 556 x 356 x 306
Weight (Kg) 2.63
Stacked height 310
Version A / D

Ref. 8712.760 open handholes version.



3640.720 - 80 L

Ext. (mm) 600 x 400 x 410
Int. (mm) 555 x 355 x 385
Weight (Kg) 2.64
Stacked height 400
Version C / E / G



8713.005 - 80 L

Ext. (mm) 596 x 396 x 410
Int. (mm) 556 x 365 x 395
Weight (Kg) 3.65
Stacked height 400
Version A / D / K




9226.001 - 75 L
Ext. (mm) 600 x 400 x 412
Int. (mm) 555 x 355 x 398
Weight (Kg) 3.6
Stacked height 400
Version A / D / H



8714.820
Ext. (mm) 600 x 400 x 26
Weight (Kg) 0.92
Version W




Supplied in boxes of 20 units.



9353.000
Ext. (mm) 600 x 400 x 30
Weight (Kg) 0.88
Version W



Supplied in boxes of 15 units.



9354.000
Ext. (mm) 613 x 411 x 39
Weight (Kg) 0.87
Version W



Snap shut lid. Supplied in boxes of 14 units.



9226.002 - 75 L
Ext. (mm) 600 x 400 x 412
Int. (mm) 555 x 355 x 398
Weight (Kg) 3.13
Stacked height 400
Version A / E / H



9226.003 - 76 L
Ext. (mm) 600 x 400 x 412
Int. (mm) 555 x 355 x 394
Weight (Kg) 3.0
Stacked height 400
Version C / E / H



800 x 400



6488.005 - 49 L
Ext. (mm) 799 x 399 x 200
Int. (mm) 760 x 360 x 186
Weight (Kg) 2.7
Stacked height 190
Version A / D / K



800 x 600



6489.750 - 77 L
Ext. (mm) 800 x 600 x 200
Int. (mm) 750 x 550 x 187
Weight (Kg) 4.05
Stacked height 190
Version A / D / G



9239.001 - 87 L
Ext. (mm) 800 x 600 x 235
Int. (mm) 755 x 555 x 205
Weight (Kg) 4.1
Stacked height 220
Version A / D / H



Ref. 9239.005 ventilated walls, solid base version.



9239.000 - 87 L
Ext. (mm) 800 x 600 x 235
Int. (mm) 755 x 555 x 205
Weight (Kg) 3.33
Stacked height 220
Version C / E / H



6491.750 - 118 L
Ext. (mm) 800 x 600 x 300
Int. (mm) 750 x 550 x 287
Weight (Kg) 4.75
Stacked height 290
Version A / D / G



9244.000 - 125 L
Ext. (mm) 800 x 600 x 319
Int. (mm) 755 x 555 x 295
Weight (Kg) 4.68
Stacked height 307
Version A / D / G



9244.001 - 125 L
Ext. (mm) 800 x 600 x 319
Int. (mm) 755 x 555 x 295
Weight (Kg) 4.15
Stacked height 307
Version A / E / G



9313.005 - 162 L
Ext. (mm) 800 x 600 x 412
Int. (mm) 755 x 555 x 382
Weight (Kg) 6.17
Stacked height 397
Version A / D / H



Ref. 9313.006 ventilated walls, solid base version.




6440.750 - 159 L
Ext. (mm) 800 x 600 x 415
Int. (mm) 750 x 550 x 385
Weight (Kg) 8.1
Stacked height 400
Version A / D / G



Ref. 6440.000 closed handles version.



9358.000 - Lid
Ext. (mm) 800 x 600 x 33
Weight (Kg) 1.86
Version W



6440.820 - Lid
Ext. (mm) 800 x 600 x 33
Weight (Kg) 2.6
Version W



Supplied in boxes of 10 units.



9357.000 - Lid
Ext. (mm) 809 x 607 x 48
Weight (Kg) 2.260
Version W



Snap shut lid. Supplied in boxes of 6 units.

1000 x 400



8716.005 - 63 L
Ext. (mm) 994 x 397 x 214
Int. (mm) 947 x 350 x 185
Weight (Kg) 3.83
Stacked height 202
Version A / D / K



Accessories



8717.005 - 1 L - Insert tray
Ext. (mm) 177 x 49 x 55
Int. (mm) 165 x 82 x 62
Weight (Kg) 0.08
Version A / D



4509.830 - 1.1 L - Insert tray
Ext. (mm) 137 x 87 x 110
Int. (mm) 132 x 82 x 105
Weight (Kg) 0.14
Version A / D



A191000077 - Clip Label holder
Ext. (mm) 13 x 76 x 19

METAL

Supplied in boxes of 1000 units.



A199580113 - Label holder
Ext. (mm) 270 x 104 x 8
Right window (mm) 106 x 57
Left window (mm) 112 x 57



Supplied in boxes of 320 units.



9902.000 - Divider
Ext. (mm) 1104 x 45
Weight (Kg) 0.11



Supplied in boxes of 120 units.



9316.004 - Divider
Ext. (mm) 1104 x 88
Weight (Kg) 0.22



Supplied in boxes of 60 units.



9901.000 - Divider
Ext. (mm) 1100 x 150
Weight (Kg) 0.44



Supplied in boxes of 20 units.



8670.000 - Divider
Ext. (mm) 1100 x 190
Weight (Kg) 0.5



Supplied in boxes of 20 units.

Attached Lid Euro Containers top benefits

- 1. Hinged lids for maximum protection
- 2. Lids can be sealed by cables to deter theft
- 3. Vertical pillars ensure optimum stacking strength



Attached Lid Euro Container

400 x 300

	9251.002 - 10 L Ext. (mm) 400 x 300 x 129 Int. (mm) 355 x 255 x 105 Weight (Kg) 1.21 Stacked height 122 Version A / D		9240.000 - 20 L Ext. (mm) 400 x 300 x 246 Int. (mm) 355 x 255 x 220 Weight (Kg) 1.68 Stacked height 239 Version A / D
	9232.001 - 15 L Ext. (mm) 400 x 300 x 186 Int. (mm) 355 x 255 x 164 Weight (Kg) 1.43 Stacked height 179 Version A / D		9234.001 - 30 L Ext. (mm) 400 x 300 x 330 Int. (mm) 355 x 255 x 300 Weight (Kg) 2.18 Stacked height 323 Version A / D

600 x 400

	9229.002 - 12 L Ext. (mm) 600 x 400 x 84 Int. (mm) 555 x 355 x 62 Weight (Kg) 1.87 Stacked height 77 Version A / D		9237.001 - 45 L Ext. (mm) 600 x 400 x 246 Int. (mm) 555 x 355 x 220 Weight (Kg) 2.96 Stacked height 239 Version A / D
	9230.003 - 21 L Ext. (mm) 600 x 400 x 129 Int. (mm) 555 x 355 x 105 Weight (Kg) 2.14 Stacked height 122 Version A / D		8679.002 - 54 L Ext. (mm) 600 x 400 x 291 Int. (mm) 555 x 355 x 265 Weight (Kg) 3.33 Stacked height 284 Version A / D
	9225.000 - 28 L Ext. (mm) 600 x 400 x 150 Int. (mm) 555 x 355 x 139 Weight (Kg) 1.385 Stacked height 142 Version A / D		9226.000 - 75 L Ext. (mm) 600 x 400 x 423 Int. (mm) 555 x 355 x 394 Weight (Kg) 4.47 Stacked height 416 Version A / D
	9235.001 - 33 L Ext. (mm) 600 x 400 x 186 Int. (mm) 555 x 355 x 164 Weight (Kg) 2.475 Stacked height 179 Version A / D		

Non Euro Stacking Containers top benefits

- 1. A wide variety of footprints and designs for specific end uses
- 2. Cheese trays are rigid and have soft rounded ribs. They are compatible with automated handling ripening systems.
- 3. Confectionery and morning goods trays: ventilated or solid they protect fragile food products.
- 4. Harvesting crates 500 x 300 footprint to optimize pallet loads and cool chambers fill.



Non Euro Stacking Containers

	7199.001 - 30 L Ext. (mm) 433 x 352 x 272 Int. (mm) 397 x 316 x 252 Weight (Kg) 1.85 Stacked height 260 Version C / E / G		9989.001 - 43 L Ext. (mm) 750 x 450 x 165 Int. (mm) 724 x 424 x 138 Weight (Kg) 1.6 Stacked height 152 Version C / E / G
	9333.000 - 30 L Ext. (mm) 500 x 300 x 265 Int. (mm) 465 x 265 x 250 Weight (Kg) 1.32 Stacked height 257 Version C / E / G		9825.001 - 45 L Ext. (mm) 750 x 500 x 165 Int. (mm) 720 x 500 x 139 Weight (Kg) 3.15 Stacked height 153 Version C / E
	8120.760 - 29 L Ext. (mm) 600 x 330 x 210 Int. (mm) 535 x 292 x 188 Weight (Kg) 2.0 Stacked height 200 Version A / D		9743.004 - 22 L Ext. (mm) 762 x 457 x 92 Int. (mm) 715 x 412 x 72 Weight (Kg) 1.8 Stacked height 84 Version A / D
	9321.004 - 28 L Ext. (mm) 654 x 395 x 155 Int. (mm) 585 x 325 x 139 Weight (Kg) 1.9 Stacked height 143 Version A / D		9742.001 - 32 L Ext. (mm) 762 x 457 x 123 Int. (mm) 715 x 412 x 103 Weight (Kg) 1.9 Stacked height 115 Version C / E / G
	9337.000 - 20 L Ext. (mm) 750 x 500 x 89 Int. (mm) 717 x 471 x 60 Weight (Kg) 2.24 Stacked height 76 Version C / E / I / G		9742.004 - 32 L Ext. (mm) 762 x 457 x 123 Int. (mm) 715 x 412 x 103 Weight (Kg) 2.2 Stacked height 115 Version A / D
	9337.001 - 35 L Ext. (mm) 750 x 500 x 132 Int. (mm) 717 x 471 x 106 Weight (Kg) 2.66 Stacked height 121 Version C / E / I / G		9741.004 - 48 L Ext. (mm) 762 x 457 x 176 Int. (mm) 715 x 412 x 156 Weight (Kg) 2.6 Stacked height 168 Version A / D / G

System 9000 top benefits

- 1. Small parts storage system
- 2. Large front opening for easy picking
- 3. Wide large range of accessories : dividers, labels, front door
- 4. 0,2 L to 33 L capacity for many types of parts



System 9000

	9076.000 - 0.2 L - Storage Bin	Ext. (mm) Int. (mm) Weight (Kg) Version	96 x 105 x 45 91 x 64 x 36 0.04 A / D
	9075.000 - 1 L - Storage Bin	Ext. (mm) Int. (mm) Weight (Kg) Version	170 x 105 x 75 125 x 100 x 68 0.09 A / D
	9074.005 - 4 L - Storage Bin	Ext. (mm) Int. (mm) Weight (Kg) Version	250 x 148 x 130 175 x 142 x 120 0.26 A / D
	9067.000 - 8 L - Modular Bin	Ext. (mm) Int. (mm) Weight (Kg) Version	300 x 230 x 150 225 x 224 x 140 0.47 A / D
	9073.005 - 8 L - Storage Bin	Ext. (mm) Int. (mm) Weight (Kg) Version	350 x 206 x 150 225 x 200 x 140 0.56 A / D
	9063.000 - 11 L - Storage Bin	Ext. (mm) Int. (mm) Weight (Kg) Version	350 x 206 x 200 225 x 200 x 190 0.62 A / D
	9068.005 - 11 L - Modular Bin	Ext. (mm) Int. (mm) Weight (Kg) Version	400 x 230 x 150 325 x 224 x 140 0.62 A / D
	9069.005 - 14 L - Modular Bin	Ext. (mm) Int. (mm) Weight (Kg) Version	500 x 230 x 150 425 x 224 x 140 0.67 A / D

	9070.000 - 17 L - Modular Bin	Ext. (mm) Int. (mm) Weight (Kg) Version	600 x 230 x 150 525 x 224 x 140 0.86 A / D
	9071.000 - 25 L - Storage Bin	Ext. (mm) Int. (mm) Weight (Kg) Version	500 x 310 x 200 425 x 310 x 200 1.12 A / D
	9072.000 - 33 L - Storage Bin	Ext. (mm) Int. (mm) Weight (Kg) Version	500 x 310 x 250 425 x 304 x 240 1.15 A / D

Accessories

	9067.300 - Divider width way	Weight (Kg)	0.1
	9067.400 - Front Drop Door		
	9067.500 - Divider length way	Weight (Kg)	0.1
	9067.830 - Label with label protector	Ext. (mm)	230 x 38

Adhesive labels available ref. 9141.835 and ref. 4534.835.
Available colors : Blue 625, Red 215, Yellow 316. Some items are also available in conductive and recycled.

System 9000

	9221.760 - 2 L	Ext. (mm) Int. (mm) Weight (Kg) Version	500 x 115 x 62 460 x 107 x 49 0.31 A / D
	9223.760 - 5 L	Ext. (mm) Int. (mm) Weight (Kg) Version	500 x 230 x 62 460 x 222 x 49 0.48 A / D
	9231.760 - 3 L	Ext. (mm) Int. (mm) Weight (Kg) Version	600 x 115 x 62 560 x 107 x 49 0.38 A / D
	9233.760 - 6 L	Ext. (mm) Int. (mm) Weight (Kg) Version	600 x 230 x 62 560 x 222 x 49 0.57 A / D
	4533.760 - 2 L	Ext. (mm) Int. (mm) Weight (Kg) Version	300 x 94 x 82 270 x 86 x 64 0.19 A / D

Accessories

	4535.760 - Divider	Ext. (mm) Weight (Kg)	94 0.013
	4534.760 - Divider	Ext. (mm) Weight (Kg)	188 0.027

	4531.760 - 3 L	Ext. (mm) Int. (mm) Weight (Kg) Version	300 x 188 x 82 270 x 180 x 64 0.32 A / D
	4532.760 - 2 L	Ext. (mm) Int. (mm) Weight (Kg) Version	400 x 94 x 82 370 x 86 x 64 0.25 A / D
	4530.760 - 4 L	Ext. (mm) Int. (mm) Weight (Kg) Version	400 x 188 x 82 370 x 180 x 64 0.36 A / D
	4537.760 - 3 L	Ext. (mm) Int. (mm) Weight (Kg) Version	500 x 94 x 82 470 x 86 x 64 0.32 A / D
	4536.760 - 5 L	Ext. (mm) Int. (mm) Weight (Kg) Version	500 x 188 x 82 470 x 180 x 64 0.45 A / D

	9243.760 - Divider	Ext. (mm) Weight (Kg)	230 x 62 0.03
--	--------------------	--------------------------	------------------

Beverage crates

Whether for beer, mineral and healing water, soft drinks, fruit juice or mixed drinks, we certainly have the right beverage solution for your brand.



Crates that stand out from the crowd

If you want your products to stand out from the crowd, a well-designed crate is a business tool you simply can't afford to ignore. It lends vital support to your marketing and branding efforts and it improves your business at every link in the value chain:

- A unique appearance differentiates the products from your competitors
- A distinctive design adds impact to the retailer's shelves
- A special colour or shape helps consumers identify their favourite products for purchase

With ergonomic features that make them easy and comfortable to carry home, good beverage crates also improve the user experience and thereby help generate brand loyalty.

And let's not forget, beverage bottles cannot travel loose. They need to be organised systematically into crates and carriers which protect them from breakages, make stacking possible, and facilitate all sorts of logistics and transport steps – from conveyor belt transfers to casual placement in the boot of the customer's car.



Since 1960, 55 years of innovation for the beverage industry



Pails ROPAC®

The comprehensive range of ROPAC® pails is UN certified for hazardous solids and liquid goods, for all types of transport modes. Producers of high value contents from the food, pharmaceutical and vitamin industries rely on Ropac®.



UN Solid

Pail 7503.006 - 3 L

Definition	MP 3LH
UN certification	1H2/Y4/S
Ext Ø top (mm)	220,5
Ext Ø bottom (mm)	179
Ext. height (mm)	143
Weight (gr)	287,5

Pail 7505.006 - 5 L

Definition	MP 5LH
UN certification	1H2/Y6/S
Ext Ø top (mm)	217
Ext Ø bottom (mm)	180
Ext. height (mm)	219
Weight (gr)	396,5

Pail 7506.006 - 6 L

Definition	MP 6LH
UN certification	1H2/Y6/S
Ext Ø top (mm)	218,5
Ext Ø bottom (mm)	173
Ext. height (mm)	267,5
Weight (gr)	466

Pail 7510.006 - 10 L

Definition	MP 10LH
UN certification	1H2/Y14/S
Ext Ø top (mm)	268
Ext Ø bottom (mm)	233
Ext. height (mm)	274
Weight (gr)	629,5

UN Liquid

Pail 7500.000 - 0.15 L

Definition	RT 0.15
UN certification	1H2/Y1.6/100
Ext Ø top (mm)	76,5
Ext Ø bottom (mm)	54,6
Ext. height (mm)	92,5
Weight (gr)	54,0

Pail 7562.006 - 5 L

Definition	LIQ 5 L
UN certification	1H2/Y2.1/100
Ext Ø top (mm)	224
Ext Ø bottom (mm)	181
Ext. height (mm)	230
Weight (gr)	481

Pail 7515.006 - 15 L

Definition	MP 15LH
UN certification	1H2/Y23/S
Ext Ø top (mm)	320
Ext Ø bottom (mm)	278,5
Ext. height (mm)	286,5
Weight (gr)	938

Pail 7520.006 - 20 L

Definition	MP 20LH
UN certification	1H2/Y27/S
Ext Ø top (mm)	321
Ext Ø bottom (mm)	280
Ext. height (mm)	355
Weight (gr)	1098

Pail 7525.006 - 31 L

Definition	MP 31LH
UN certification	1H2/Y40/S
Ext Ø top (mm)	398
Ext Ø bottom (mm)	345
Ext. height (mm)	372
Weight (gr)	1865

Pail 7526.006 - 32 L

Definition	MP 32LH
UN certification	1H2/Y36/S
Ext Ø top (mm)	379
Ext Ø bottom (mm)	306
Ext. height (mm)	405
Weight (gr)	1400

Pail 7564.006 - 10 L

Definition	LIQ 10 L
UN certification	1H2/Y1.6/100
Ext Ø top (mm)	289
Ext Ø bottom (mm)	246
Ext. height (mm)	282
Weight (gr)	930

Pail 7566.006 - 20 L

Definition	LIQ 20 L
UN certification	1H2/Y1.6/100
Ext Ø top (mm)	289
Ext Ø bottom (mm)	244
Ext. height (mm)	460
Weight (gr)	1262

Index by product code

Code	Description	Page
1310851	Integra® - 600 x 400	28
1311851	Integra® - 600 x 400	28
1325835	Seal for Integra®	28
1325850	Integra® - 400 x 300	28
1325851	Integra® - 400 x 300	28
1329850	Integra® - 600 x 400	28
1329854	Integra® - 600 x 400	28
1330850	Integra® - 600 x 400	28
1720400	Big Box - 1200 x 1000	13
1720500	Big Box - 1200 x 1000	13
1720600	Big Box - 1200 x 1000	13
1732100	Big Box - 1200 x 1000	15
1732200	Big Box - 1200 x 1000	15
1732300	Big Box - 1200 x 1000	15
1732400	Big Box - 1200 x 1000	15
1732500	Big Box - 1200 x 1000	15
1732600	Big Box - 1200 x 1000	15
1810100	Prelóg® CMB - 400 x 300	35
1810830	Seal for FSC	35
1811100	Prelóg® CMB - 600 x 400	35
1813000	Prelóg® CMB - 600 x 400	35
1834100	Non Euro Stack Nest With Swings Bars	27
1842552	Lightweight - 1140 x 1140	23
1846552	Lightweight - 1200 x 1000	21
1850006	Display Pallet - 600 x 400	18
1850007	Display Pallet - 600 x 400	18
1853508	Lightweight - 1140 x 1140	23
1854508	Lightweight - 1200 x 800	18
1855508	Lightweight - 1200 x 1000	21
1856508	Lightweight - 1200 x 1200	23
1864005	Heavy Duty - 1140 x 1140	23
1865002	Heavy Duty - 1200 x 800	20
1866005	Heavy Duty - 1200 x 1000	22
1867005	Heavy Duty - 1200 x 1200	23
1868005	Heavy Duty - 1300 x 1100	23
1869008	Lightweight - 1200 x 800	18
1872002	Heavy Duty - 1200 x 800	20
1873005	Heavy Duty - 1200 x 1000	22
1875005	Heavy Duty - 1300 x 1100	23
1880003	Medium Duty - 1200 x 1000	21
1882001	Heavy Duty - 800 x 600	18
2302400	Maximus® - 1200 x 1000	15
2302500	Maximus® - 1200 x 1000	15
2302600	Maximus® - 1200 x 1000	15
2310500	Maxagri® - 1200 x 1000	15
2312500	Big Box - 1200 x 1200	15
2312600	Big Box - 1200 x 1200	15
2319451	Magnum Classic - 1200 x 1000	7
2329630	Magnum Classic - 1200 x 1000	7
2330456	Magnum Classic - 1200 x 800	7
2336820	Lid for Magnum 2330.456	7
2366851	Euro Container - 600 x 400	47
2366857	Euro Container - 600 x 400	47
2530652	Magnum Optimum® - 1200 x 1000	8
2538000	Optiframe®	8
2540652	Magnum Optimum® - 1200 x 1000	8
2549461	Magnum Optimum® - 1200 x 1000	8
2550151	Magnum Optimum® - 1200 x 1000	8
2550461	Magnum Optimum® - 1200 x 1000	8
2560400	Magnum Helium® - 1200 x 800	6
2570400	Magnum Helium® - 1200 x 800	6
2580400	Magnum Helium® - 1200 x 800	7

Code	Description	Page
2590400	Magnum Helium® - 1200 x 800	7
2620410	Magnum Smooth Wall - 800 x 600	6
2626800	Lid for 800 x 600	6
2630610	Magnum Smooth Wall - 800 x 600	6
2630633	Pally Magnum - 800 x 600	6
2636820	Lid for 800 x 600	6
2640610	Magnum Smooth Wall - 800 x 600	6
2713510	Medium Duty - 1200 x 800	19
2714516	Heavy Duty - 1200 x 800	20
2715516	Heavy Duty - 1200 x 800	20
2800500	Dolly - 600 x 400	41
3211750	Prelóg® Classic - 600 x 400	34
3212750	Prelóg® Classic - 600 x 400	34
3213750	Prelóg® Classic - 600 x 400	34
3218750	Prelóg® Classic - 600 x 400	34
3219750	Prelóg® Classic - 600 x 400	34
3230900	Other FSC - 600 x 500	35
3234001	Prelóg® NG - 600 x 400	35
3235001	Prelóg® NG - 600 x 400	35
3236001	Prelóg® NG - 600 x 400	35
3301002	Heavy Duty - 1200 x 800	20
3303001	Lightweight - 1200 x 800	18
3640720	Euro Container - 600 x 400	47
4128760	Tellus Stack/Nest - 600 x 400	30
4129760	Tellus Stack/Nest - 600 x 400	30
4130760	Tellus Stack/Nest - 600 x 400	30
4150760	VDA R-KLT - 300 x 200	38
4151760	VDA R-KLT - 400 x 200	38
4152760	VDA R-KLT - 400 x 300	38
4153760	VDA R-KLT - 600 x 400	39
4154760	VDA R-KLT - 600 x 400	38
4155760	VDA R-KLT - 400 x 300	38
4157760	VDA R-KLT - 600 x 400	39
4160820	Lid for R-KLT and RL-KLT 300 x 200	38
4161821	Lid for R-KLT and RL-KLT 400 x 300	38
4162821	Lid for R-KLT and RL-KLT 600 x 400	38
4163820	Lid for R-KLT and RL-KLT 400 x 300	38
4164820	Lid for R-KLT and RL-KLT 600 x 400	38
4165820	Lid for R-KLT and RL-KLT 300 x 200	38
4166820	Lid for R-KLT and RL-KLT 400 x 300	38
4167820	Lid for C-KLT 600 x 400	39
4170004	VDA RL-KLT - 300 x 200	38
4171004	VDA RL-KLT - 400 x 300	38
4172004	VDA RL-KLT - 400 x 300	38
4173004	VDA RL-KLT - 600 x 400	39
4174004	VDA RL-KLT - 600 x 400	38
4175000	VDA RL-KLT - 400 x 300	38
4177004	VDA RL-KLT - 600 x 400	39
4312500	Galia Odette - 400 x 300	40
4322500	Galia Odette - 400 x 300	40
4401100	Big Box - 1200 x 1000	14
4401150	Big Box - 1200 x 1000	14
4401300	Big Box - 1200 x 1000	14
4401400	Big Box - 1200 x 1000	14
4401600	Big Box - 1200 x 1000	14
4403100	Big Box - 1200 x 800	12
4403105	Big Box - 1200 x 800	12
4403150	Big Box - 1200 x 800	12
4403300	Big Box - 1200 x 800	12
4409820	Lid for Big Box 1200 x 800	12
4410820	Lid for 1200 x 1000	14
4420032	Combo 285 - 1155 x 1155	9

Code	Description	Page
4420038	Combo 285 - 1155 x 1155	9
4420052	Combo 285 - 1155 x 1155	9
4429100	MaxiLog® - 1200 x 1000	14
4429200	MaxiLog® - 1200 x 1000	14
4429300	MaxiLog® - 1200 x 1000	14
4429400	MaxiLog® - 1200 x 1000	14
4429500	MaxiLog® - 1200 x 1000	14
4429600	MaxiLog® - 1200 x 1000	14
4430010	Combo CL 65 - 800 x 600	9
4509830	Euro Container - Insert tray	49
4530760	System 9000	53
4531760	System 9000	53
4532760	System 9000	53
4533760	System 9000	53
4534760	System 9000 - Divider	53
4535760	System 9000 - Divider	53
4536760	System 9000	53
4537760	System 9000	53
4561820	Nest only - Small box - Lid	33
4563820	Nest only - Small box - Lid	33
4564760	Nest only - Small box	33
4570760	Tellus Stack/Nest - 300 x 200	30
4601400	Agrilog® - 1200 x 1000	12
4601450	Agrilog® - 1200 x 1000	12
4601500	Agrilog® - 1200 x 1000	12
4601600	Agrilog® - 1200 x 1000	12
4660750	Nest only - Small box	33
5212500	Galia Odette - 300 x 200	40
5591510	Lightweight - 1200 x 800	18
5592500	Lightweight - 1200 x 1000	21
6015823	Cover with straps	19
6015830	Cover for 1200 x 800	19
6015833	Cover with straps	19
6017830	Pallet cover for 1200 x 1000	22
6018820	Cover for 1200 x 800	19
6101502	Lightweight - 1200 x 800	18
6422500	Galia Odette - 600 x 400	40
6432500	Galia Odette - 600 x 400	40
6440000	Euro Container - 800 x 600	49
6440750	Euro Container - 800 x 600	49
6440820	Euro Container - Lid	49
6476750	Euro Container - 600 x 400	47
6488005	Euro Container - 800 x 400	48
6489750	Euro Container - 800 x 600	48
6491750	Euro Container - 800 x 600	48
7199001	Non Euro Stacking Container	51
7340000	Medium Duty - 1200 x 800	19
7340500	Medium Duty - 1200 x 800	19
7341000	Heavy Duty - 1200 x 800	20
7342002	Heavy Duty - 1200 x 1000	22
7344002	Medium Duty - 1140 x 1140	23
7344005	Medium Duty - 1140 x 1140	23
7500000	Pail - UN Liquid	55
7503006	Pail - UN Solid	55
7505006	Pail - UN Solid	55
7506006	Pail - UN Solid	55
7510006	Pail - UN Solid	55
7515006	Pail - UN Solid	55
7520006	Pail - UN Solid	55
7525006	Pail - UN Solid	55
7526006	Pail - UN Solid	55
7536030	Pail - Lid	55

Code	Description	Page
7538020	Pail - Lid	55
7542031	Pail - Lid	55
7550020	Pail - Lid	55
7551030	Pail - Lid	55
7562006	Pail - UN Liquid	55
7564006	Pail - UN Liquid	55
7566006	Pail - UN Liquid	55
7582010	Pail - Lid	55
7584010	Pail - Lid	55
7842001	Heavy Duty H1 Pallet - 1200 x 800	20
7842002	Heavy Duty H1 Pallet - 1200 x 800	20
7907820	Tellus lid for 600 x 400	30
7907822	Tellus snap shut lid - 600 x 400	30
7922760	Tellus Stack/Nest - 600 x 400	30
7924760	Tellus Stack/Nest - 400 x 300	30
7925760	Tellus Stack/Nest - 600 x 400	30
7927760	Tellus Stack/Nest - 600 x 400	30
7931860	Tellus Stack/Nest - 800 x 600	30
8110722	Bicolor Stack/Nest 180° - 600 x 400	31
8120760	Non Euro Stacking Container	51
8300000	Euroclick - 400 x 300	42
8301000	Euroclick - 400 x 300	42
8302000	Euroclick - 400 x 300	42
8303000	Euroclick - 400 x 300	42
8304000	Euroclick - 400 x 300	43
8305000	Euroclick - 400 x 300	43
8306000	Euroclick - 400 x 300	43
8307000	Euroclick - 600 x 400	43
8308000	Euroclick - 600 x 400	43
8309000	Euroclick - 600 x 400	43
8310000	Euroclick - 600 x 400	43
8311000	Euroclick - 600 x 400	43
8312000	Euroclick - 600 x 400	43
8313000	Euroclick - Click Booster® - 400 x 300	43
8314000	Euroclick - Click Booster® - 600 x 400	43
8315000	Euroclick - Label holder®	43
8400500	XLXS - 600 x 400	41
8400600	Dolly - 600 x 400	41
8450100	Big Box - 1200 x 1000	13
8450300	Big Box - 1200 x 1000	13
8550200	Heavy Duty - 1200 x 800	20
8583004	Kaiman® - 600 x 400	29
8584004	Kaiman® - 600 x 400	29
8670000	Euro Container - Divider	49
8679001	Euro Container - 600 x 400	47
8679002	Attached lid Euro Container - 600 x 400	50
8679004	Euro Container - 600 x 400	47
8700000	Euro Container - 400 x 300	44
8701005	Euro Container - 400 x 300	44
8702005	Euro Container - 400 x 300	44
8703005	Euro Container - 400 x 300	45
8703720	Euro Container - 400 x 300	45
8705820	Euro Container - Lid	43/45
8705821	Euro Container - Lid	45
8707005	Euro Container - 600 x 400	45
8708005	Euro Container - 600 x 400	46
8710005	Euro Container - 600 x 400	46
8711005	Euro Container - 600 x 400	46
8712005	Euro Container - 600 x 400	47
8713005	Euro Container - 600 x 400	47
8714820	Euro Container - Lid	43/48
8715005	Euro Container - 300 x 200	44

Index by product code

Code	Description	Page
8716005	Euro Container - 1000 x 400	49
8717005	Euro Container - Insert tray	49
8819004	Lid for Geobox®	13
9063000	System 9000 - Storage Bin	52
9067000	System 9000 - Modular Bin	52
9067300	System 9000 - Divider width way	52
9067400	System 9000 - Front Drop Door	52
9067500	System 9000 - Divider length way	52
9067830	System 9000 - Label with label protector	52
9068005	System 9000 - Modular Bin	52
9069005	System 9000 - Modular Bin	52
9070000	System 9000 - Modular Bin	52
9071000	System 9000 - Storage Bin	52
9072000	System 9000 - Storage Bin	52
9073005	System 9000 - Storage Bin	52
9074005	System 9000 - Storage Bin	52
9075000	System 9000 - Storage Bin	52
9076000	System 9000 - Storage Bin	52
9104004	Euro ALC	29
9106004	Non euro ALC	28
9106029	Non euro ALC	28
9107004	Kaiman® - 400 x 300	29
9108004	Kaiman® - 400 x 300	29
9109004	Kaiman® - 600 x 400	29
9114004	Kaiman® - 600 x 400	29
9125004	Non euro ALC	28
9142092	Maxipac® - 800 x 600	6
9170002	Maxinvest® - 600 x 400	26
9190001	Dolly - 600 x 400	41
9191001	Dolly - 600 x 400	41
9192004	Universal Dolly - 800 x 600	41
9193000	Dolly - 600 x 400	41
9193002	Dolly - 600 x 400	41
9193025	Dolly - 600 x 400	41
9198000	Shaft for Universal Dolly	41
9213006	Euro Container - 400 x 300	45
9220000	Euro Container - 200 x 150	44
9221760	System 9000	53
9222001	Euro Container - 600 x 400	46
9223760	System 9000	53
9225000	Attached lid Euro Container - 600 x 400	50
9225001	Euro Container - 600 x 400	46
9225002	Euro Container - 600 x 400	46
9225003	Euro Container - 600 x 400	46
9226000	Attached lid Euro Container - 600 x 400	50
9226001	Euro Container - 600 x 400	48
9226002	Euro Container - 600 x 400	48
9226003	Euro Container - 600 x 400	48
9227000	Euro Container - 400 x 300	44
9228000	Euro Container - 600 x 400	45
9229000	Euro Container - 600 x 400	45
9229001	Euro Container - 600 x 400	45
9229002	Attached lid Euro Container - 600 x 400	50
9230000	Euro Container - 600 x 400	45
9230001	Euro Container - 600 x 400	45
9230003	Attached lid Euro Container - 600 x 400	50
9231760	System 9000	53
9232000	Euro Container - 400 x 300	45
9232001	Attached lid Euro Container - 400 x 300	50
9233760	System 9000	53
9234000	Euro Container - 400 x 300	45
9234001	Attached lid Euro Container - 400 x 300	50

Mission Statement

Schoeller Allibert has been inventing, developing, designing and manufacturing Returnable Transit Packaging (RTP) for more than 50 years. We have a rich heritage, having been formed from the key players: Schoeller, Wavin, Perstorp, Arca, Linpac, Allibert, Paxton, Stucki amongst others. Today we are the European market leader with operations world-wide.

Markets: We focus on seven key segments being agriculture, automotive, food and food processing, beverage, retail, Industrial manufacturing and Pooling through our customers.

Products: We offer a comprehensive range of standard and tailor made RTP packaging solutions across ten key product segments being Foldable Large Containers, Foldable Small Containers, Rigid Pallet Containers, Beverage crates and trays, Stackable and Stack / Nest handheld boxes, UN pails, Foldable IBCs, Pallets and Dollies.

Services: As well as standard models we offer a bespoke innovative design and engineering service.

Benefits of our products: High quality, durable and sustainable enabling our customers to enhance supply chain efficiency and profitability, lower transport cost, reduce waste and enhance green branding.

Operations: Lean manufacturing and supply chain operations focused on right first time quality products delivered on-time and in-full.

Support functions: efficient and effective, focused on the customer and adding value.

People: Inclusive environment where all employees have all the tools they need to perform to their best, are recognized and valued, are encouraged to learn and grow and to contribute to continuously improving our performance.

Financial: We aim to enhance shareholder value and provide the required returns in the long term.

Quality policy

Iso Certified

Schoeller Allibert is proud to be an ISO certified company,most of our sites conforming to :

ISO 9001: Quality

ISO 14001: Environment

ISO 22000: Food Safety

ISO 50001: Energy



Quality

Schoeller Allibert strives to continuously improve its products, services and processes. Customer satisfaction is SA's number one priority. Because customers work on a increasingly global basis with SA, we are working with one certified QA system in the USA and EMEA (Europe, Middle East & Africa) group. We are busy implementing this in our Asian sites as well. Schoeller Allibert keeps its customers at the forefront of their markets .

Our Mission statement is:

- Innovating your logistics for a better world .Create a Lean Operational Execution Machine, which delivers high value product to the market on time and in full.
- We work to a continuous improvement process conforming to the PDCA (Plan-Do-Check-Act) principle.
- We regularly check our processes by means of internal, corporate and exteranl Lloyd's audits . We also ask our customers to audit us frequently.

Sustainability and recycling

In a world that depends upon logistics and transport, all shipped in packaging materials, we need to reduce the environmental stress caused by packaging waste.

At Schoeller Allibert, we believe RTP (returnable transit packaging) systems are the answer. We are at the forefront of this revolutionary development.

Sustainability

We Schoeller Allibert , support the United Nations environment campaign (www.unep.org). In Practice: we produce 100% recyclable packaging. We design our products in order to optimize their life span (up to 10 years in industrial conditions). Our production processes contribute to CO2 reduction. Using our products guarantees safe transport of your goods (UN homologation) by road, rail, and air.

Environment


It is our ambition to design and produce our products with respect for the environment.

Our targets are:

- To reduce our energy consumption per kg of finished product.
- To promote **the use of recycled material**.
- Contributing towards a reduction in CO2 emmissions.
- Ensuring certification of all sites to ISO 14001.

In respect of this and our food safety certifications, our products fully meet the requirements for transport and packaging of organic food.

EFSA approval granted to Schoeller Allibert for innovative recycling process



Food industries and retail can now have their old returnable transit packaging (RTP) recycled into new high-quality food grade containers, thanks to Schoeller Allibert's European Food Safety Authority (EFSA) accredited recycling process (in 4 production sites).

The accredited process, which covers the recycling of food-grade HDPE and PP crates into new containers for food contact, has been developed in order to help food processing companies and retailers to meet increasing stringent sustainability targets. No pollution, no waste. We take care of all the necessary steps, creating a 100% sustainable packaging cycle.

Leading in innovation

Schoeller Allibert creates innovative plastic packaging systems for a better world.

Continuous innovation


Continuous innovation is at the heart of our business. We see it as our task to ensure our clients are prepared for future challenges. In today's competitive markets, advantages resulting from smart design will rapidly translate into improved performance and considerable benefits.

Smart design makes the difference

Foldable containers that are stronger but weigh less will result in less fuel consumption during transport. Containers with 10% more transport volume and 30% less return volume when folded can make the difference in highly competitive markets like the automotive industry or agriculture.

Major innovations in returnable packaging

Many of the major innovations in plastic packaging systems were developed by Schoeller Allibert. We invented products like foldable large containers, such as the Magnum Optimum®, and bottle crates with in-mould labels. In addition, we invented and optimized production techniques like injection moulding and mirror welding, each time resulting in lighter, stronger and cleaner crates and containers. We take care of all the necessary steps, creating a sustainable packaging cycle.



Our innovation, development and quality departments are supported by our Technology Center (Hardenberg NL)



Instructions for use

To ensure that you get the best use of your Schoeller Allibert products, we recommend that you read the following use and care advice.

Loading

Safe unit and stacked load values depend on the model of container, type of load, temperature and duration. All Schoeller Allibert products have been designed to provide many years of continuous use in a wide range of demanding industrial applications. The FEA (finite element analysis) software developed by our designers means that we can manufacture products that are both lighter and stronger than ever before. In the event of any doubt concerning the strength or suitability for your application please consult Schoeller Allibert.

Temperature

Schoeller Allibert products are designed for use in a wide range of temperatures. Polypropylene (PP) trays and containers are ideal for use between -10°C to +50°C (depending on loading and use). High density polyethylene (HDPE) trays and containers are ideal for use between -20°C to +30°C with models serviceable from as low as -40°C up to +40°C (depending on loading and use). If the containers or pallets are expected to perform under load at temperatures close to these parameters, then we recommend that you contact Schoeller Allibert to discuss your application.

Washing

Polypropylene trays and containers can be put through tray washers in temperatures over +100°C for short periods 2 min on average. High density polyethylene (HDPE) trays, containers, pallets and bulk boxes can be cleaned at temperatures up to +80°C. Schoeller Allibert products are compatible with most washing and soda based detergents currently in use. Chemical resistance: Schoeller Allibert products are resistant to most chemical agents found in industry. In the event of any doubt, please consult Schoeller Allibert.

Do you want to know more ?

Visit our website www.schoellerallibert.com



Please contact your local Schoeller Allibert Company for further information or to receive our 10 product groups brochures :

Foldable large containers, Rigid pallet containers, Intermediate bulk containers, Plastic pallets, Stacking containers, Folding small containers, Stack/nest containers, Dollies, Beverage and Pails.




Please contact your local Schoeller Allibert Company for further information or to receive our market catalogs

Food & Food Processing, Industrial Manufacturing, Agriculture, Beverage, Retail and Automotive.

Online digital market brochures :



- ① **Head Office Netherlands**
Schoeller Allibert B.V.
Taurusavenue 35
NL-2132 LS Hoofddorp
00 31 88 0047300
- ② **Austria**
Schoeller Allibert GmbH
Rudolf Diesel-Strasse 26
AT-2700 Wr. Neustadt
00 43 2622 206 56
- ③ **Belgium**
Schoeller Allibert bvba
Antwerpsesteenweg 175
BE-3970 Leopoldsburg
00 32 11 39 38 38
- ④ **Czech Republic**
Schoeller Allibert s.r.o.
NA Rovince 879
CZ-720 00 Ostrava
00 420 596 790 010
- ⑤ **Finland**
Schoeller Allibert Oy
Askonkatu 9 F
FI-15100 Lahti
00 358 848 211
- ⑥ **France**
Schoeller Allibert
176 avenue Charles de Gaulle
FR-92200 Neuilly-sur-Seine
00 33 1 41 20 09 90
- ⑦ **Germany**
Schoeller Allibert GmbH
Vossstrasse 20
DE-10117 Berlin
00 49 30 36471 100
- ⑧ **Hungary**
Schoeller Allibert Kft
Rétköz Utca 5
HU-1118 Budapest
00 36 1 788 3385
- ⑨ **Italy**
Schoeller Allibert S.p.A.
Via Enzo Ferrari, 1 - Frazione
Zucche
IT-10040 Volvera (TO)
00 39 011 39 75 759
- ⑩ **Latvia**
Schoeller Allibert SIA
Ritausmas street 2
LV-1058 Riga
00 371 6 382280
- ⑪ **Netherlands**
Schoeller Allibert B.V.
P.O. Box 176
NL-7770 AD Hardenberg
00 31 523 727 020
- ⑫ **Poland**
Schoeller Allibert Sp. z o.o.
Rynek 12/ I p
PL-41902 Bytom
00 48 32 283 13 10
- ⑬ **Romania**
Schoeller Allibert SRL
Str Turnu Magurele nr. 270 D
RO-041713 Bucharest
00 40 21 460 20 88



- ⑭ **Russia**
Schoeller Allibert ZAO
Business center LETO, office 508
Sverdlovskaya nab., 44
RU-195027 St. Petersburg
00 7 812 326 65 20
- ⑮ **Slovakia**
Schoeller Allibert s.r.o.
Pri starej prachârni 14
SK- 831 04 Bratislava
00 421 2 555 65940
- ⑯ **Spain**
Schoeller Allibert, SAU
Av. Camí Reial, 8
P.I. Riera de Caldes
ES-08184 Palau-Solità i Plegamans, Barcelona
00 34 93 864 0080
- ⑰ **Sweden**
Schoeller Allibert AB
Hässelholmsvägen 10, P.O. Box 82
SE-28422 Perstorp
00 46 435 777 000
- ⑱ **Switzerland**
Schoeller Allibert Swiss Holding Sàrl
Route de la Condemine 11
CH- 1680 Romont
00 41 266 519 210
- ⑲ **United Kingdom & Ireland**
Schoeller Allibert Limited
Road One Industrial Estate
GB-CW7 3RA Winsford
00 44 1606 561900
- ⑳ **International**
Schoeller Allibert International GmbH
Zugspitzstrasse 15
DE-82049 Pullach
00 49 89 638 66 0

Other continents

- Chile**
Logipak Schoeller Allibert SPA
Hermanos carrera into 79
Colina, Santiago, Chile
0056 (2) 24815970
- China**
Schoeller Allibert China
Room 115, Unit A3, No.700 Wanrong Road, Zhabei District
CN-200072 Shanghai
00 86 21 31 33 50 80
- India**
Schoeller Arca Time Materials Handling Solutions Ltd.
C Wing, Tex Center, Chandivali Farm Road, Andheri (E)
IN-400072 MUMBAI
+91 2271119500
- Mexico**
Schoeller Allibert International México, S.A. de C.V.
Avenida Cafetales 1702 D-205
Col. Hacienda de Coyoacán
Delegación Coyoacán
C.P. 04970
México D.F.
0049 89 638 66 0
- UAE**
Schoeller Allibert International Middle East LLC
Office 117 Abu Dhabi Airport Business Park
PO Box 2131
AE- Abu Dhabi, UAE
00971 2 419 2771
- USA**
Schoeller Allibert
4320 S. Cotton Lane Suite 200
Goodyear, AZ 85338
00 1 623 889 7970



Schoeller Allibert

www.schoellerallibert.com | shop.schoellerallibert.com